Tru64 UNIX

Master Index

Part Number: AA-RH94B-TE

August 2000

Product Version: Tru64 UNIX Version 5.1 or higher

This book contains index entries for the most commonly used manuals in the Compaq Tru64™ UNIX documentation set.

Compaq Computer Corporation
Houston, Texas

© 2000 Compaq Computer Corporation

COMPAQ, the Compaq logo, Compaq Insight Manager, DECnet, TruCluster, and VAX Registered in U.S. Patent and Trademark Office. OpenVMS and Tru64 are trademarks of Compaq Information Technologies Group, L.P.

Microsoft, Windows, and Windows NT are trademarks of Microsoft Corporation. Motif, OSF/1, UNIX, and X/Open are trademarks of The Open Group. All other product names mentioned herein may be trademarks of their respective companies.

Confidential computer software. Valid license from Compaq required for possession, use, or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Compaq shall not be liable for technical or editorial errors or omissions contained herein. The information in this document is subject to change without notice.

THE INFORMATION IN THIS PUBLICATION IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. THE ENTIRE RISK ARISING OUT OF THE USE OF THIS INFORMATION REMAINS WITH RECIPIENT. IN NO EVENT SHALL COMPAQ BE LIABLE FOR ANY DIRECT, CONSEQUENTIAL, INCIDENTAL, SPECIAL, PUNITIVE, OR OTHER DAMAGES WHATSOEVER (INCLUDING WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION OR LOSS OF BUSINESS INFORMATION), EVEN IF COMPAQ HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES AND WHETHER IN AN ACTION OF CONTRACT OR TORT, INCLUDING NEGLIGENCE.

The limited warranties for Compaq products are exclusively set forth in the documentation accompanying such products. Nothing herein should be construed as constituting a further or additional warranty.

About This Manual

The Master Index provides an index for the most commonly used books in the Compaq Tru64™ UNIX documentation set. Books with index entries in the Master Index are listed in Table 1.

Audience

This book is for anyone who needs to access information about the Tru64 UNIX operating system. It can help you find a specific topic in the documentation set by pointing you to the location in the book where the topic is discussed.

New and Changed Features

Beginning with this release, you can search the HTML version of the Master Index using a keyword search. To open the keyword search page, click on the "Search the Master Index" subentry under Master Index in the General User Documents list in the Online Documentation Library.

To perform a keyword search, enter the word or phrase you want to find. The search function searches the entire Master Index for matches, and displays the results. When you click on an entry in the search results, the target book opens in its own window. In most cases, the book opens to the place in the text that is indicated by the entry.

Conventions

In the printed and PDF versions of the Master Index, each master index page reference is preceded by an abbreviated book title. For example, the following entry points to page 3–2 in the book Sharing Software on a Local Area Network:

installation
RIS software subset, SharingSW 3-2

Table 1 maps the abbreviated title for each book to its complete book title.

The HTML version of the Master Index does not contain page numbers. Instead, the abbreviated book title appears as a hot link. Clicking on this link takes you either to the beginning of the book being referenced or, in many cases, to the actual location of the information in the book. Most entries also provide section numbers, to help you further refine your search.

Table 1: Book Title Abbreviations

Abbreviation	Book Title
AdvFSAdmin	AdvFS Administration
AsmLangGde	Assembly Language Programmer's Guide
AsynchronousTM	Asynchronous Transfer Mode
CallingStandard	Calling Standard for Alpha Systems
CDECompanion	CDE Companion
CLangRef	Compaq C Language Reference Manual
ClusTechOver	TruCluster Server Technical Overview
CommandShellGde	Command and Shell User's Guide
CPML	Compaq Portable Mathematics Library
DocOverview	Documentation Overview
InstallGde	Installation Guide
InstallGdeAdvTop	Installation Guide — Advanced Topics
InternatProg	Writing Software for the International Market
KernelDebug	Kernel Debugging
KernelModules	Writing Kernel Modules
LicenseManage	Software License Management
NetAdmin	Network Administration
NetProgGde	Network Programmer's Guide
OncRpcProgram	Programming with ONC RPC
POSIXThreads	Guide to the POSIX Threads Library
Prestoserve	Guide to Prestoserve
ProdKitGde	Guide to Preparing Product Kits
ProgGde	Programmer's Guide
ProgSupTools	Programming Support Tools
Realtime	Guide to Realtime Programming
Security	Security
SharingSW	Sharing Software on a Local Area Network
StorageManager	Logical Storage Manager
SysConfigSup	System Configuration Supplement: OEM Platforms
SystemAdmin	System Administration

Table 1: Book Title Abbreviations (cont.)

Abbreviation	Book Title
SystemTune	System Configuration and Tuning
TechOver	Technical Overview
XWinSysEnv	X Window System Environment

Reader's Comments

Compaq welcomes any comments and suggestions you have on this and other Tru64 UNIX manuals.

You can send your comments in the following ways:

- Fax: 603-884-0120 Attn: UBPG Publications, ZKO3-3/Y32
- Internet electronic mail: `readers_comment@zk3.dec.com`

  A Reader's Comment form is located on your system in the following location:

  `/usr/doc/readers_comment.txt`

- Mail:

  Compaq Computer Corporation
  UBPG Publications Manager
  ZKO3-3/Y32
  110 Spit Brook Road
  Nashua, NH 03062-2698

  A Reader's Comment form is located in the back of each printed manual. The form is postage paid if you mail it in the United States.

Please include the following information along with your comments:

- The full title of the book and the order number. (The order number is printed on the title page of this book and on its back cover.)
- The section numbers and page numbers of the information on which you are commenting.
- The version of Tru64 UNIX that you are using.
- If known, the type of processor that is running the Tru64 UNIX software.

The Tru64 UNIX Publications group cannot respond to system problems or technical support inquiries. Please address technical questions to your local system vendor or to the appropriate Compaq technical support office. Information provided with the software media explains how to send problem reports to Compaq.

Index

Numbers

6bone
address assignment, NetAdmin 3–10
connecting to, NetAdmin 3–33

A

abnormal_termination function, ProgGde 11–13

access to files, CommandShellGde 5–1

account, SystemAdmin 7–9
adding automatically, SystemAdmin 7–15
adding manually, SystemAdmin 7–28
administration methods, SystemAdmin 7–6
administration with C2, Security 9–1
command-line utilities, SystemAdmin 7–8
SysMan Menu, SystemAdmin 7–7

accounting, SystemAdmin 10–2

acctcms command, SystemAdmin 10–27

acctcom command, SystemAdmin 10–24

acctdisk command, SystemAdmin 10–33

acctdusg command, SystemAdmin 10–32

acctmerg command, SystemAdmin 10–39

acctprc1 command, SystemAdmin 10–28

acctprc2 command, SystemAdmin 10–29

acknowledged connectionless mode service
in DLPI, NetProgGde 2–6

ACLs
administering, Security 11–1
programming, Security 21–1
using, Security 5–1

acos routine, CPML B–1, CPML–5

acosd routine, CPML B–1, CPML–5

acosh routine, CPML B–2, CPML–6

Acrobat Reader, InstallGde 8–4

active CPUs
changing the number of, LicenseManage 2–18

active page list, TechOver 5–6

activity license, LicenseManage 1–5

acucap file, NetAdmin 6–31

adapter,
See network interface

address
for 6bone testing, NetAdmin 3–10
IPv6, NetAdmin 3–2

address autoconfiguration
DHCPv6, NetAdmin 3–9
stateful, NetAdmin 3–9
stateless, NetAdmin 3–8

address family
specifying for DLI, NetProgGde E–15

address format

assembly language, AsmLangGde 2–12

address prefix, NetAdmin 3–8

Address Resolution Protocol, See ARP

address space
tuning, SystemTune 5–6

adduser utility, SystemAdmin 7–15, 7–28

administering a cluster, ClusTechOver 9–2

administering accounts and groups, SystemAdmin 7–1

administering file systems, SystemAdmin 6–1

administering hardware, SystemAdmin 5–1

administration utilities, SystemAdmin A–1

Advanced File System, See AdvFS

Advanced Printing Services, SystemAdmin 8–2

Advanced Printing Software, SystemAdmin 8–20

Advanced Server for UNIX, See ASU

AdvFS, TechOver 4–3
configuring, AdvFSAdmin 1–1
converting from UFS, AdvFSAdmin C–1
converting to UFS, AdvFSAdmin C–13
displaying, SystemTune 9–20
documentation for separately licensed utilities, DocOverview 1–11
improving performance, SystemTune 9–12

AdvFS backup, AdvFSAdmin 3–1

AdvFS clone fileset, AdvFSAdmin 1–24

AdvFS file domain, AdvFSAdmin 1–7
configuring volume for, StorageManager 4–15

AdvFS fileset, AdvFSAdmin 1–18

AdvFS GUI, AdvFSAdmin 6–1

AdvFS optimization, AdvFSAdmin 4–1

AdvFS quota, AdvFSAdmin 2–1

AdvFS troubleshooting, AdvFSAdmin 5–1

AdvFS with LSM, AdvFSAdmin 1–29

AES
application-level interface requirements, ProgGde 1–2

alias
default cluster, ClusTechOver 6–4

alignment
bit-field alignment, ProgGde 2–6
data type alignment, ProgGde 2–5

Alpha 21264 PCI/ISA single-board computer, SysConfigSup 1–1

Alpha hardware architecture documentation, KernelDebug 1–1

Alpha PCI/ISA (DMCC) single-board computer, SysConfigSup 1–1

Alpha system
Tru64 UNIX calling standard for, CallingStandard 1–1

Alpha VME 2100 system
configuring, SysConfigSup 2–2
restrictions, SysConfigSup 1–14

Alpha VME single-board computer, SysConfigSup 2–2, 2–28
configuring UNIVERSE II–based, SysConfigSup 2–28

configuring VIP/VIC-based, SysConfigSup 2–2
requirements and restrictions, SysConfigSup 1–10

ANSI C Standard, CLangRef xiv
conformance summary, CLangRef B–1

ANSI standards
application development considerations, ProgGde 1–2

application
accessing from Front Panel, CDECompanion 3–1
and RSVP, NetProgGde 7–8
debugging, SystemTune 11–1
enabling the display, CDECompanion 5–2
improving performance, SystemTune 11–4
integrated into CDE, CDECompanion 5–3
profiling, SystemTune 11–1
running across the network, CDECompanion 5–2

application development
phases of, ProgGde 1–1

Application Environment Specification, See AES

application-level protocol, TechOver 3–3

Application Manager, CDECompanion 4–1, SystemAdmin 1–11
accessing, CDECompanion 3–1
organizing applications, CDECompanion 4–5

application program
porting to XTI, NetProgGde 3–33
rewriting for XTI, NetProgGde 3–36

application programming interface, TechOver 6–10
DLI, TechOver 6–10
DLPI, TechOver 6–10
sockets, NetProgGde 1–3, 4–6, TechOver 6–10
STREAMS, NetProgGde 1–3, 5–6, TechOver 6–10
WPI, InternatProg A–1
XTI, NetProgGde 1–1, 3–4, TechOver 6–10

archive file
determining section sizes, ProgGde 2–25
dumping selected parts of, ProgGde 2–24

Archiver graphical interface, SystemAdmin 9–5

archiving services, SystemAdmin 9–1

ARP, TechOver 3–17

arp command, NetAdmin 16–4

as command, ProgGde 2–3

ASCII codeset, CommandShellGde C–2

ASCII equivalence table, CLangRef C–1

Asian languages
codesets that support, CommandShellGde C–2
documentation for working in, DocOverview 4–9

asin routine, CPML B–2, CPML–7

asind routine, CPML B–2, CPML–7

asinh routine, CPML B–2, CPML–8

assembly language
assembler directives, AsmLangGde 5–1
floating-point instruction set, AsmLangGde 4–1
instruction set summary, AsmLangGde A–1

lexical conventions, AsmLangGde 2–1
main instruction set, AsmLangGde 3–1
programming considerations, AsmLangGde 6–1

assigning program numbers, OncRpcProgram 1–5

Associated Products CD–ROMs
documentation for separately licensed products, DocOverview 1–11

ASU, SystemAdmin 7–9, TechOver 7–1
documentation for, DocOverview 1–11

asynchronous I/O
realtime, Realtime 7–1

Asynchronous Transfer Mode, See ATM

at command, SystemAdmin 3–4

atan routine, CPML B–3, CPML–9

atan2 routine, CPML B–3, CPML–10

atand routine, CPML B–3, CPML–9

atand2 routine, CPML B–3, CPML–10

atanh routine, CPML B–4, CPML–11

ATM, NetAdmin 4–1
architecture, AsynchronousTM 1–1
cells, AsynchronousTM 2–3
CMM routines, AsynchronousTM A–1
configuring, NetAdmin 4–15
configuring with CLIP, NetAdmin 4–17
configuring with IP switching, NetAdmin 4–22
configuring with LANE, NetAdmin 4–20
Connection Management Module, AsynchronousTM 1–3
convergence module interface, AsynchronousTM 5–1
device driver interface, AsynchronousTM 3–1
error codes, AsynchronousTM 2–2
features, AsynchronousTM 2–1
flow control, AsynchronousTM 9–1
global data structures, AsynchronousTM 2–14
header files, AsynchronousTM 2–1
locking macros, AsynchronousTM 2–9
managing connections, AsynchronousTM 6–1
managing signaling, NetAdmin 4–26
managing the environment, NetAdmin 4–25
Module Management Interface, AsynchronousTM 7–1
preparing for configuration, NetAdmin 4–7
queuing guidelines, AsynchronousTM 8–1
signaling module interface, AsynchronousTM 4–1
troubleshooting, NetAdmin 15–23
verifying kernel options, NetAdmin 4–6
verifying subsets are installed, NetAdmin 4–6

ATM address
adding, AsynchronousTM 5–8
deleting, AsynchronousTM 5–9

ATM address structure, See atm_addr structure

ATM Configuration application, NetAdmin 4–15

ATM environment, NetAdmin 4–1

ATM subsystem
interfaces, AsynchronousTM 1–3
types of circuits, AsynchronousTM 2–13

atmarp command, NetAdmin 4–26

atmconfig command
and PVCs, AsynchronousTM 2–6

atmelan command, NetAdmin 4–27

atmhosts file
editing for CLIP, NetAdmin 4–17
editing for LANE, NetAdmin 4–21

atmifmp command, NetAdmin 4–27

atmsig command, NetAdmin 4–26

atm_addr structure, AsynchronousTM 2–17

atm_cause_info structure, AsynchronousTM 2–39

atm_cmi_addr union, AsynchronousTM 5–10

atm_cvg_params structure, AsynchronousTM 5–11

atm_drv_params structure, AsynchronousTM 3–3

atm_esi structure, AsynchronousTM 2–37

ATM_FREE macro, AsynchronousTM 2–9

ATM_MALLOC macro, AsynchronousTM 2–8

atm_mmi_path structure, AsynchronousTM 7–3

atm_ppa structure, AsynchronousTM 2–35

atm_queue_param structure, AsynchronousTM 3–7

atm_sig_params structure, AsynchronousTM 4–5

atm_uni_call_ie structure, AsynchronousTM 2–30

atm_vc structure, AsynchronousTM 2–14

atm_vc_services structure, AsynchronousTM 2–21

atm_vc_stats structure, AsynchronousTM 5–9

Atom tools, ProgGde 9–1

attribute table
entry, KernelModules 3–2
get request, KernelModules 3–4
set request, KernelModules 3–6

attribute-value pairs
install.cdf file, InstallGdeAdvTop A–2

attributes
managing, SystemTune 3–10

audit subsystem, Security 10–1

authentication
of client, OncRpcProgram 2–20

authentication database
integrity, Security 12–1
programming, Security 17–1

autofsd daemon, NetAdmin 10–2
error messages, NetAdmin D–10

autofsmount command, NetAdmin B–5
error messages, NetAdmin D–10

automount command, NetAdmin B–5

automount daemon, NetAdmin 10–2
error messages, NetAdmin D–6
starting with SysMan Menu, NetAdmin 10–9

automount map, NetAdmin 9–27, 10–2, B–1

availability
configuring, SystemTune 2–15
disk, SystemTune 2–17
network, SystemTune 2–18
power, SystemTune 2–18

availability license, LicenseManage 1–4

awk utility, ProgSupTools 2–1

AXPvme single-board computer
configuring, SysConfigSup 2–2
requirements and restrictions, SysConfigSup 1–13

B

background process, CommandShellGde 6–6

bandwidth management
network, NetProgGde 7–1

basic regular expression, ProgSupTools 1–2

bcheckrc script, SystemAdmin 3–2, 3–7

Berkeley Internet Name Domain, See BIND, DNS

Bessel function, CPML CPML–12

BGP, TechOver 3–5

big-endian
byte ordering, AsmLangGde 1–2

BIND, TechOver 3–32
See also DNS
supplementary documentation for, DocOverview 3–8

binlogd daemon, SystemAdmin 12–3, 12–14

binmail utility, NetAdmin 13–38

block, CLangRef 2–2

boot, SystemAdmin 2–6
genvmunix, SystemAdmin 2–7

boot command sequence
during full installation, InstallGde 6–45

boot disk
creating alternate, StorageManager 3–11

boot disk failure
recovery from, StorageManager 6–23

boot timeline, KernelModules 4–1
dispatch point, KernelModules 4–3

bootable tape, SystemAdmin 9–5, 9–30

booting
from CD–ROM, InstallGde 6–4
RIS client, SharingSW 5–1

BOOTP
and DHCP, NetAdmin 5–20

bootpd daemon, TechOver 3–28

Border Gateway Protocol, See BGP

Bourne shell, CommandShellGde 7–1, 8–1
.logout script, CommandShellGde 7–24
redirecting errors, CommandShellGde 6–4

bridging drivers
BSD drivers to STREAMS protocol stack, NetProgGde 8–9
STREAMS driver to sockets protocol stack, NetProgGde 8–2

broadcast RPC, OncRpcProgram 2–21, 3–17

broadcasting and determining network configuration, NetProgGde 4–48

BSD driver
bridging to STREAMS protocol stack, NetProgGde 8–9

BSD socket, NetProgGde 4–31
and network addresses, NetProgGde 4–32

buffer cache, SystemTune 6–1

buffer size
calculating in DLI, NetProgGde E–20
increasing for TCP sockets, NetProgGde C–2

building a kernel
during installation, InstallGde 6–24

building a program, See lex program, make utility, yacc program

built-in function

pragma counterpart, ProgGde 3–15

byte ordering
big-endian, AsmLangGde 1–2
little-endian, AsmLangGde 1–2
supported by Tru64 UNIX, ProgGde 2–4

C

C compiler, ProgGde 2–1

C extensions, common, CLangRef D–1

C function, CLangRef 5–1

C language syntax summary, CLangRef A–1

C lexicon, CLangRef 1–1

C preprocessor, ProgGde 2–9

C shell, CommandShellGde 7–1, 8–1
.logout script, CommandShellGde 7–24
redirecting errors, CommandShellGde 6–5

C2 security configuration, Security F–1

CAA, ClusTechOver 5–1

cabs routine, CPML B–4, CPML–13

cache collision, data
avoiding, ProgGde 8–12

cache misses, data
profiling for, ProgGde 8–12

cache thrashing
preventing, ProgGde 8–12

cache usage
improving with cord, ProgGde F–4

CalComp DrawingBoard
configuring, SystemAdmin D–2

Calendar
accessing, CDECompanion 3–1
converting to CDE format, CDECompanion 10–6

call,
See incoming call

call chain, CallingStandard 7–2

call-graph profiling, ProgGde 8–5

call stack
of user program, examining in crash dump, KernelDebug 2–8

callback
and RPC, OncRpcProgram 3–31
using, KernelModules 4–2

caller process, OncRpcProgram 1–1

calling conventions
assembly language, AsmLangGde 6–1

calling standard
call chain, CallingStandard 7–1
data manipulation, CallingStandard 4–1
event processing, CallingStandard 5–1
flow control, CallingStandard 3–1
procedure descriptors, CallingStandard 8–1
procedure invocations, CallingStandard 7–1
stack limits, CallingStandard 6–1

callrpc routine, OncRpcProgram 3–2

canonical address
and Token Ring drivers, NetProgGde D–2

cat command, CommandShellGde 3–5

CBR, AsynchronousTM 2–13

CBR circuit
reserving resources, AsynchronousTM 5–4

cbrt routine, CPML B–4, CPML–14

cc command

compilation control options, ProgGde 2–12
default behavior, ProgGde 2–12
-g and -O options for profiling, ProgGde 8–4

ccos routine, CPML B–4, CPML–15

cd command, CommandShellGde 3–1

CD–ROM, building a consolidated firmware, ProdKitGde A–1

CD-ROM File System, See CDFS

CDE, CDECompanion 1–1
administration graphical interfaces, SystemAdmin 1–11
Application Manager, SystemAdmin 1–11
Front Panel, CDECompanion 1–2
logging in, CDECompanion 1–1
managing desktop and applications, CDECompanion 1–3
security, Security 4–1
workspaces, CDECompanion 1–3

CDE desktop, See desktop

CDE documentation set, CDECompanion 1–4
online viewing with Netscape Navigator, CDECompanion 1–5

CDE online help, CDECompanion 1–6

CDE reference pages, CDECompanion 1–7
using the man command, CDECompanion 1–8

CDE window list, CDECompanion 3–11

CDF, SharingSW 7–1, TechOver 2–2

CDFS, ProdKitGde 4–7, 5–13, A–1, A–2, SystemAdmin 6–2

cdiv routine, CPML B–5, CPML–16

CDSL, ClusTechOver 2–8, ProdKitGde 2–5, SystemAdmin 6–11

ceil routine, CPML B–5, CPML–17

cell
receiving, AsynchronousTM 3–2

century
setting, SystemAdmin 2–21

cexp routine, CPML B–5, CPML–18

CFS, ClusTechOver 2–4

changes to the documentation set, DocOverview 1–3

changing
directories, CommandShellGde 4–3
identity, CommandShellGde 5–17
owners of files and directories, CommandShellGde 5–20
permissions, CommandShellGde 5–4
your shell, CommandShellGde 7–4

chap-secrets file, NetAdmin 6–14

character
creating and using a user-defined, InternatProg 6–17

character set, CLangRef 1–3, InternatProg 1–2
coded, InternatProg 2–2

Chinese, See Asian languages

chmod command, CommandShellGde 5–4, 5–8

CI, SystemAdmin C–1
configuration, SystemAdmin C–1

circuit
types of, AsynchronousTM 2–13

Classical IP, See CLIP

client
authentication, OncRpcProgram 2–20

programming with rpcgen, OncRpcProgram 2–19
versions of, OncRpcProgram 3–27

client handle used by rpcgen, OncRpcProgram 2–7

client/server interaction, NetProgGde 4–8

CLIP, NetAdmin 4–2
configuring with ATM, NetAdmin 4–17
managing the environment, NetAdmin 4–26
planning configuration with ATM, NetAdmin 4–9

clock
realtime, Realtime 6–1
setting system, SystemAdmin 2–21

Clock application
accessing, CDECompanion 3–1

clog routine, CPML B–5, CPML–19

cloned installation, InstallGdeAdvTop 6–1
defined, InstallGde 1–2

cloned system configuration, InstallGdeAdvTop 7–1

cloning a disk, SystemAdmin 5–72

cluster
administration, ClusTechOver 9–2
CFS, ClusTechOver 2–4
cluster application availability (CAA), ClusTechOver 5–1
clusterwide file systems, ClusTechOver 2–1
connection manager, ClusTechOver 3–1
context-dependent symbolic link (CDSL), ClusTechOver 2–8
device request dispatcher, ClusTechOver 2–7
distributed lock manager (DLM), ClusTechOver 8–1
enhanced security in, Security G–1
installation, ClusTechOver 9–1
LSM support, ClusTechOver 2–14
Memory Channel, ClusTechOver 7–1
supported file systems, ClusTechOver 2–2

cluster alias, ClusTechOver 6–1
default, ClusTechOver 6–4

cluster application availability, See CAA

cluster file system, See CFS

cluster member, ClusTechOver 3–2

cluster quorum, ClusTechOver 3–1
calculating, ClusTechOver 3–4
disk, ClusTechOver 3–6

cmul routine, CPML B–6, CPML–20

cmx exerciser, SystemAdmin 11–41

code page, PC, InternatProg 2–5

codeset, InternatProg 2–2
Unicode, CommandShellGde C–2

codeset conversion, InternatProg 6–38, TechOver 10–7

coexistence of STREAMS and sockets, NetProgGde 8–1

collation, CommandShellGde C–3

command entry aids
filters, CommandShellGde 7–6
grouping commands, CommandShellGde 7–6
list quoting, CommandShellGde 7–6
pipes, CommandShellGde 7–6
running multiple commands, CommandShellGde 7–6

commands
cat, CommandShellGde 3–5
cd, CommandShellGde 3–1
ln, CommandShellGde 3–13, 3–15
lpq, CommandShellGde 3–10, 3–12
lpr, CommandShellGde 3–10

lprm, CommandShellGde 3–10, 3–13
ls, CommandShellGde 3–2
mkdir, CommandShellGde 3–1
more, CommandShellGde 3–5
page, CommandShellGde 3–5
passwd, CommandShellGde 1–6, 1–8
pg, CommandShellGde 3–5
using, CommandShellGde 1–4
yppasswd, CommandShellGde 1–6

comment
assembly language, AsmLangGde 2–1

common C extensions, CLangRef D–1

common desktop environment, See CDE

common file, See header file

communication bridge, TechOver 3–24

Compaq Insight Manager, SystemAdmin 1–29, TechOver 2–20

Compaq Portable Mathematics Library, See CPML

comparing files, CommandShellGde 3–23

compilation option
-S option, AsmLangGde 6–14

compilation unit, CLangRef 2–3

completion handling, ProgGde 11–5

complex lock, KernelModules 8–1
declaring data structure, KernelModules 8–1
initializing, KernelModules 8–2
terminating, KernelModules 8–20

computer virus, CommandShellGde 5–21

condition variable, POSIXThreads 2–30, 4–3

conditional compilation, CLangRef 8–7

config.cdf file, InstallGdeAdvTop 7–1

configuration
device names, SystemAdmin 5–40
DMS environment, SharingSW 11–9
kernel, SystemAdmin 4–1
kernel subsystem, SystemAdmin 4–1
network interface, NetAdmin 2–13

configuration checklist, TechOver 2–8

configuration cloning, InstallGdeAdvTop 7–1

configuration description file, See CDF

configuration file
adding devices to, SystemAdmin 4–20
entries, SystemAdmin 4–32
keywords, SystemAdmin 4–32

configure routine, KernelModules 2–1

configuring a volume for a file system, StorageManager 4–14

connection, See also PPP, SLIP
accepting, AsynchronousTM 6–4
accepting on a socket, NetProgGde 4–24
activating, AsynchronousTM 4–2
controlling aging of, AsynchronousTM 6–6
deleting, AsynchronousTM 4–3
making in ATM, AsynchronousTM 6–1
making to socket, NetProgGde 4–23
outgoing, AsynchronousTM 6–1
point-to-multipoint, AsynchronousTM 6–1
point-to-point, AsynchronousTM 6–1
receiving notification of, AsynchronousTM 5–7
releasing, AsynchronousTM 4–3, 6–7

reporting a failure, AsynchronousTM 4–3
requesting endpoint information, AsynchronousTM 5–6
security considerations, Security 3–1
tearing down, AsynchronousTM 5–5

Connection Management Module, AsynchronousTM 1–3

connection manager, ClusTechOver 3–1

connection mode service
in DLPI, NetProgGde 2–5

connection-oriented application
program examples, NetProgGde B–2
sample header files, NetProgGde B–33
writing, NetProgGde 3–22

connectionless application
program examples, NetProgGde B–18
sample header files, NetProgGde B–33
writing, NetProgGde 3–30

connectionless mode service
in DLPI, NetProgGde 2–5

consolidated firmware CD–ROM
building, ProdKitGde A–1

constant, CLangRef 1–13
and rpcgen, OncRpcProgram 2–24
assembly language, AsmLangGde 2–2

constant bit rate, See CBR

context-dependent symbolic link, See CDSL

controlling access, CommandShellGde 5–1

convergence module
flow control, AsynchronousTM 9–3
MMI, AsynchronousTM 7–7
queuing guidelines, AsynchronousTM 8–3
receiving exception notification, AsynchronousTM 5–2
registering with CMM, AsynchronousTM 5–1
requesting interface parameters, AsynchronousTM 5–3
reserving resources, AsynchronousTM 5–4
structures, AsynchronousTM 5–9
unregistering with CMM, AsynchronousTM 5–3

conversion of data types, CLangRef 6–27

copying a directory, CommandShellGde 4–8

copying a disk, SystemAdmin 5–72

copying a file, CommandShellGde 3–18
to another host, CommandShellGde 12–1

copysign routine, CPML B–6, CPML–21

cord utility, ProgGde F–4

cos routine, CPML B–6, CPML–22

cosd routine, CPML B–6, CPML–22

cosh routine, CPML B–7, CPML–23

cot routine, CPML B–7, CPML–24

cotd routine, CPML B–7, CPML–24

cp command, CommandShellGde 3–18

cpio command, SystemAdmin 9–5

CPML, CPML 1–1
data types, CPML 1–2
entry-point names, CPML B–1
exceptional arguments, CPML 1–4
floating-point values, CPML A–1

IEEE Standard 754
considerations, CPML 1–6
routines, CPML 2–1
X/Open Portability Guide
considerations, CPML 1–7

cpow routine, CPML B–7, CPML–25

CPU
improving performance, SystemTune 7–8
monitoring, SystemTune 7–1
performance, SystemTune 2–4

crash data collection, KernelDebug 2–44, A–1

crash dump, SystemAdmin 12–16, 14–1

crash dump analysis, KernelDebug 1–1
collecting data with crashdc, KernelDebug 2–44
examples of, KernelDebug 4–1
for SMP systems, KernelDebug 4–9
guidelines for, KernelDebug 4–1
specifying location of loadable modules for, KernelDebug 2–4
viewing user program stack, KernelDebug 2–8

crash dump file
analyzing, KernelDebug 1–5
guidelines for analyzing, KernelDebug 4–1
invoking dbx debugger to examine, KernelDebug 2–2
invoking kdbx debugger to examine, KernelDebug 2–12
using dbx to examine, KernelDebug 4–2
using kdbx to examine, KernelDebug 4–3

crash recovery, SystemAdmin 12–16

crash-data.n file
explanation of contents, KernelDebug A–1

crashdc command
explanation of output from, KernelDebug A–1

crashdc utility, KernelDebug 2–44

creating a directory, CommandShellGde 4–2

creating a volume, StorageManager 4–1
for secondary swap, StorageManager 4–14
with concatenated plex, StorageManager 4–7

crontab command, SystemAdmin 3–14

.cshrc file, CommandShellGde 8–2

.cshrc login script, CommandShellGde 7–16
modifying for System V habitat, CommandShellGde 9–2

csin routine, CPML B–8, CPML–26

csqrt routine, CPML B–8, CPML–27

Curses library, InternatProg 4–1, TechOver 10–9

Custom Setup utility, InstallGde 7–4

customization
workstation environment, XWinSysEnv 2–1

customizing mailx, CommandShellGde D–1

customizing pointer behavior, CDECompanion 8–8

cvt_ftof routine, CPML B–8, CPML–28

D

daemon
autofsd, NetAdmin 10–2
automount, NetAdmin 10–2
binlogd, SystemAdmin 12–3
bootpd, TechOver 3–28
gated, NetAdmin 2–8, TechOver 3–29

inetd, NetProgGde 4–51, OncRpcProgram 2–18, 3–25
joind, NetAdmin 5–16
lpd, SystemAdmin 8–32
LSM, StorageManager 6–7
mountd, NetAdmin 10–11
PC-NFS, NetAdmin 10–8
portmap, Prestoserve 2–10
pppd, NetAdmin 6–13
prestoctl_svc, Prestoserve 2–11
routed, NetAdmin 2–7
rsvpd, NetProgGde 7–6
rwhod, NetAdmin 2–6
syslogd, SystemAdmin 12–2
xntpd, NetAdmin 12–1

data
preserving during installation, InstallGde 6–40
receiving on a virtual circuit, AsynchronousTM 5–2
recovering, SystemAdmin 9–1

data access, See JDBC, ODBC

data cache collision
avoiding, ProgGde 8–12

data cache misses
profiling for, ProgGde 8–12

data copying routines, KernelModules 5–7

data flow, TechOver 3–23

Data Link Interface, See DLI

data link interfaces, NetProgGde 2–1

Data Link Provider Interface, See DLPI

data manipulation
in calling standard for Alpha systems, CallingStandard 4–1

data structure
ATM, AsynchronousTM 2–14
displaying value and format of with dbx debugger, KernelDebug 2–6
global, AsynchronousTM 2–14
kernel thread, KernelModules 9–5
module, NetProgGde 5–13
simple lock, KernelModules 7–1
sockets, NetProgGde 4–16
STREAMS message, NetProgGde 5–14
used by kernel thread routines, KernelModules 9–5

data transfer
in DLI, NetProgGde E–20
with sockets, NetProgGde 4–26

data type, CLangRef 3–1
alignment in structures, ProgGde 2–5
converting, CLangRef 6–27
types supported by Tru64 UNIX, ProgGde 2–4
types supported in assembly language, AsmLangGde 2–10

database security
group, CommandShellGde 5–3

Dataless Management Services, See DMS

date and time
setting during installation, InstallGde 6–13

date command, SystemAdmin 2–21

date value
formatting rules in a locale, InternatProg 7–22

dbx debugger, ProgGde 5–1, SystemTune 3–17, TechOver 6–3
crash dump analysis with, KernelDebug 2–2, 4–2, 4–4
debugging kdbx extensions with, KernelDebug 3–36
debugging kernel threads with, KernelDebug 4–8

displaying call stack of user program after kernel crash with, KernelDebug 2–8
displaying preserved message buffer with, KernelDebug 2–10
displaying value and format of variable and data structure with, KernelDebug 2–6
examining exception frames with, KernelDebug 2–7
identifying cause of crash on SMP system, KernelDebug 4–9
identifying hardware exceptions with, KernelDebug 4–4
kernel debugging flag, KernelDebug 2–2
kernel debugging with, KernelDebug 2–2
syntax for examining dump files, KernelDebug 2–2

DDR, SystemAdmin 5–53

debugging an application, SystemTune 11–1

debugging the kernel, SystemTune 3–9

debugging tools,
See also dbx debugger, lint, Third Degree
crashdc utility, KernelDebug 2–44
dbx debugger, KernelDebug 2–2
kdbx debugger, KernelDebug 2–12
kdebug debugger, KernelDebug 2–37
supported by Tru64 UNIX, ProgGde 1–5

DECevent event management utility, SystemAdmin 12–1

declaration, CLangRef 4–1, OncRpcProgram 2–24

DECterm software
escape sequences for ruled lines, InternatProg D–1

DECwindows Motif
migrating to CDE, CDECompanion 6–1
migrating to CDE applications, CDECompanion 7–6

default permissions
setting with umask, CommandShellGde 5–13

deferred mode swapping, SystemAdmin 3–45

deleting a directory, CommandShellGde 4–10

desktop
navigating, CDECompanion 2–1

desktop session
managing, CDECompanion 4–1

/dev directory, SystemAdmin 5–40

Developer's Documentation Kit, DocOverview 1–9

development environment, ProgGde 1–1

device
adding to the kernel, SystemAdmin 4–20
configuring, SystemAdmin 5–40

device driver
ATM structures, AsynchronousTM 3–3
interface, AsynchronousTM 3–1
MMI, AsynchronousTM 7–6
queuing guidelines, AsynchronousTM 8–1
registering with CMM, AsynchronousTM 3–1
unregistering with CMM, AsynchronousTM 3–2

device driver documentation
books in set described, DocOverview 7–1

device mnemonics, SystemAdmin B–1

device name, SystemAdmin 5–40
naming conventions, InstallGde A–1

device pathname
explanation of, SystemAdmin 8–29

representation in printcap, SystemAdmin 8–29

device request dispatcher, ClusTechOver 2–7

device security, Security 8–1

device special file, NetProgGde 5–25
representation in printcap, SystemAdmin 8–29

device special file names
converting old-style and new-style, ProgGde E–1

DHCP, NetAdmin 5–1
and security, NetAdmin 5–19
configuring a server, NetAdmin 5–12
monitoring clients, NetAdmin 5–18
planning for configuration, NetAdmin 5–2
troubleshooting, NetAdmin 15–34

dia command
binary event-logging reports, SystemAdmin 12–1

dial-in connection, NetAdmin 6–28

dial-out connection, NetAdmin 6–31

Differences application
comparing files with, CDECompanion 5–6

directive
assembler directives, AsmLangGde 5–1
pragma assert directives, ProgGde 3–2
pragma environment, ProgGde 3–6
pragma extern_model directives, ProgGde 3–7
pragma extern_prefix, ProgGde 3–11
pragma function, ProgGde 3–14
pragma inline, ProgGde 3–13
pragma intrinsic, ProgGde 3–14
pragma linkage, ProgGde 3–16
pragma member_alignment, ProgGde 3–19
pragma message, ProgGde 3–20
pragma optimize, ProgGde 3–25
pragma pack, ProgGde 3–27
pragma pointer_size, ProgGde 3–28
pragma use_linkage, ProgGde 3–29
pragma weak, ProgGde 3–30

directory, CommandShellGde 2–1, 2–7, 4–1
backing up, SystemAdmin 9–1
changing owner of, CommandShellGde 5–20
copying, CommandShellGde 4–8
creating, CommandShellGde 4–2
recovering, SystemAdmin 9–1
removing current, CommandShellGde 4–12
removing empty, CommandShellGde 4–11
removing more than one, CommandShellGde 4–11
renaming, CommandShellGde 4–9

directory permissions, CommandShellGde 5–5, 5–10

dis (object file tool), ProgGde 2–26

disk
availability, SystemTune 2–17
backup, SystemAdmin 9–1
cloning, SystemAdmin 5–71
copying, SystemAdmin 5–71
distributing I/O, SystemTune 8–1
dynamic partitioning during full installation, InstallGde 4–2
high-performance, SystemTune 2–9
high-performance configuration, SystemTune 2–12
LSM, StorageManager 1–2, SystemTune 8–4
managing, SystemTune 8–1
monitoring, SystemAdmin 6–46
monitoring I/O distribution, SystemTune 8–3

preserving data on during installation, InstallGde 6–40
RAID, SystemTune 2–14
striping, SystemTune 2–13

disk drive
testing with diskx, SystemAdmin 11–28

disk group
managing, StorageManager 5–5

disk label, SystemAdmin 5–67, 6–5

disk partition, SystemAdmin 5–67, 6–4
on DMS server, SharingSW 10–3

disk quota, SystemAdmin 6–41

disk space
DMS, SharingSW 10–4
planning, InstallGdeAdvTop 4–1
reallocating, SystemAdmin 5–67
RIS, SharingSW 3–3

disk usage, SystemAdmin 5–83

disklabel command, SystemAdmin 5–69

diskusg command, SystemAdmin 10–31

diskx exerciser, SystemAdmin 11–28

dispatch point callback, KernelModules 4–1

dispatch table, OncRpcProgram 2–18

DISPLAY environment variable
setting from different shells, CDECompanion 5–3

Display Manager, TechOver 8–6

displaying a directory, CommandShellGde 4–7

displaying information
command status, CommandShellGde 6–8
differences between files, CommandShellGde 3–23
disk group, StorageManager 4–1
job status of uucp, CommandShellGde 14–25
process information, CommandShellGde 6–14
variable values, CommandShellGde 7–21

displaying online reference pages, CommandShellGde 1–9

distributed lock manager, See DLM

distributed naming services, TechOver 3–32
See also BIND, NIS

distributed system services
naming services, TechOver 3–32
time services, TechOver 3–33

distribution media
producing for kernel products, ProdKitGde 5–8
producing for user products, ProdKitGde 4–1

division of privileges, See DOP

DLI, NetProgGde E–1, TechOver 3–25
and accessing the local area network, NetProgGde E–3
binding a socket, NetProgGde E–17
calculating buffer size, NetProgGde E–20
creating a socket, NetProgGde E–16
deactivating a socket, NetProgGde E–21
filling the sockaddr_dl structure, NetProgGde E–17
services, NetProgGde E–2
setting socket options, NetProgGde E–16
transferring data, NetProgGde E–20
using system calls, NetProgGde E–15
writing programs, NetProgGde E–14

DLI program
including higher-level services, NetProgGde E–4

DLM, ClusTechOver 8–1

DLPI, NetProgGde 2–2, TechOver 3–25
addressing, NetProgGde 2–6
connection mode service, NetProgGde 2–5
connectionless mode service, NetProgGde 2–5
local management service, NetProgGde 2–4
modes of communication, NetProgGde 2–3
supported primitives, NetProgGde 2–8, 8–10
types of service, NetProgGde 2–4

DMS, SharingSW 1–1, 9–1, TechOver 2–26
adding software, SharingSW 11–6
disk space planning, SharingSW 10–4
installing software, SharingSW 11–2
root area, SharingSW 9–2
setting up a LAN, SharingSW 10–3
setting up NFS, SharingSW 10–3
troubleshooting, SharingSW 13–1
updating software, SharingSW D–1

DMS area, SharingSW 1–1, 9–2

DMS area maintenance, SharingSW 12–1

DMS client, SharingSW 1–1, 9–2, 9–5, 12–1
area, SharingSW 9–5
building an Asian kernel, SharingSW 11–13
compatibility with server, SharingSW 11–1
preparing, SharingSW 10–1
registering, SharingSW 10–7
requirements, SharingSW 10–2
WLS setup, SharingSW 11–13

DMS environment, SharingSW 9–3, 12–1
configuring, SharingSW 11–9
on DMS server, SharingSW 11–1
software sharing environment, SharingSW 1–2

DMS server, SharingSW 1–1, 9–2
architecture, SharingSW 9–2
compatibility with client, SharingSW 11–1
creating DMS environment on, SharingSW 11–1
disk partitions, SharingSW 10–3
installing operating system on, SharingSW 10–7
managing, SharingSW 12–1
preparing, SharingSW 10–1
requirements, SharingSW 10–1
WLS setup, SharingSW 11–12

DNS, NetAdmin 8–1
configuring a caching–only server, NetAdmin 8–15
configuring a client, NetAdmin 8–20
configuring a forward–only server, NetAdmin 8–16
configuring a master server, NetAdmin 8–9
configuring a slave server, NetAdmin 8–13
configuring a stub server, NetAdmin 8–18
deconfiguring, NetAdmin 8–29
enabling authentication, NetAdmin 8–6, 8–21
enabling dynamic updates, NetAdmin 8–5, 8–12, 8–21
IPv6 data format, NetAdmin 3–9
IPv6 record type, NetAdmin 3–9
named.conf file, NetAdmin H–1
resource records, NetAdmin H–1
testing master servers, NetAdmin 17–15
testing servers, NetAdmin 17–1
troubleshooting, NetAdmin 15–37, 15–39
updating server data files, NetAdmin 8–5, 8–12, 8–30

doconfig program, SystemAdmin 4–20, 4–24, 4–26

documentation,
See also online documentation
in printed form, DocOverview 1–8
on line, DocOverview 1–5

Documentation CD-ROM, DocOverview 1–5
mounting, InstallGde 8–2

documentation kits,
See Developer's Documentation Kit, End User Documentation Kit, General User Documentation Kit, Startup Documentation Kit, System and Network Management Documentation Kit, Tru64 UNIX Documentation Kit

documentation on the World Wide Web, DocOverview 1–7

dodisk shell script, SystemAdmin 10–31

dohash utility, NetAdmin 13–25

Domain Name System,
See DNS

DOP, Security H–1

drem routine, CPML B–8, CPML–33

driver
bridging BSD driver to STREAMS protocol stack, NetProgGde 8–9
bridging STREAMS driver to sockets protocol stack, NetProgGde 8–2
Token Ring, NetProgGde D–1

driver program
compiler system, ProgGde 2–2

dsfcvt* routines, ProgGde E–1

dtmail utility, NetAdmin 13–38

dtsession, CDECompanion 6–2

dump command, SystemAdmin 9–5

dump file,
See crash dump file

dxaccounts utility, SystemAdmin 7–6

dxpresto command
monitoring Prestoserve with, Prestoserve 3–8

dxpresto software subset
installing, Prestoserve 2–1

Dynamic Device Recognition,
See DDR

dynamic disk partitioning
during full installation, InstallGde 4–2

Dynamic Host Configuration Protocol,
See DHCP

dynamically configurable subsystem
creating, ProgGde C–1

E

EBM2n and EBM4n single-board computers, SysConfigSup 1–1

EBV10 and EBV12 single-board computers, SysConfigSup 1–13

EBV14 and EBV16 single-board computers, SysConfigSup 1–10

ed editor, CommandShellGde B–1
append (a) subcommand, CommandShellGde B–2
change (c) subcommand, CommandShellGde B–20
copying lines, CommandShellGde B–23
creating and saving text files, CommandShellGde B–2
delete (d) subcommand, CommandShellGde B–18
deleting a specific line, CommandShellGde B–19

deleting current line, CommandShellGde B–18
deleting multiple lines, CommandShellGde B–19
displaying the current line, CommandShellGde B–9
edit (e) subcommand, CommandShellGde B–7
edit (ed) command, CommandShellGde B–7
edit buffer, CommandShellGde B–1
global (g) operator, CommandShellGde B–15
insert (i) subcommand, CommandShellGde B–22
locating text, CommandShellGde B–12
moving text, CommandShellGde B–19
print (p) subcommand, CommandShellGde B–3
quit (q) subcommand, CommandShellGde B–6
read (r) subcommand, CommandShellGde B–8
removing characters, CommandShellGde B–16
substitute (s) subcommand, CommandShellGde B–13
using system commands, CommandShellGde B–24
write (w) subcommand, CommandShellGde B–4

editor, CommandShellGde 2–1
See also ed editor, emacs editor, mule editor, vi editor

EGP, TechOver 3–4

egrep,
See grep utility

emacs editor
multilingual, InternatProg 6–40, TechOver 10–7

enabling realtime preemption
after full installation, InstallGde 7–10

encapsulating AdvFS file domains, StorageManager 4–17

End User Documentation Kit, DocOverview 1–8

endian byte ordering
supported by Tru64 UNIX, ProgGde 2–4

endpoint
adding, AsynchronousTM 6–4
creating, AsynchronousTM 5–5
dropping, AsynchronousTM 4–3, 5–5
requesting connection state information, AsynchronousTM 5–6
requesting information, AsynchronousTM 4–4

enhanced security
in a cluster, Security G–1

enumerations and rpcgen, OncRpcProgram 2–23

environment variable, CommandShellGde 7–13

erf routine, CPML B–9, CPML–34

erfc routine, CPML B–9, CPML–34

error
comparison of XTI and sockets, NetProgGde 3–39
in sockets, NetProgGde 4–34
in XTI, NetProgGde 3–56
logging, SystemAdmin 12–1
logging in STREAMS, NetProgGde 5–26
reporting to CMM, AsynchronousTM 3–2
solving network problem, NetAdmin 15–1

error message
autofsd, NetAdmin D–10

autofsmount, NetAdmin D–10
automount, NetAdmin D–6
mail, NetAdmin F–1
NFS, NetAdmin D–1
UUCP, NetAdmin E–1

eSNMP, NetProgGde 1–7, 6–2, TechOver 3–25
application interface, NetProgGde 6–4
application programming interface routines, NetProgGde 6–18
architecture, NetProgGde 6–3
components, NetProgGde 6–2
implementing a subagent, NetProgGde 6–12
method routine calling interface, NetProgGde 6–44
MIB subtree, NetProgGde 6–6
object tables, NetProgGde 6–8
SNMP versions, NetProgGde 6–4
starting, NetProgGde 6–15
stopping, NetProgGde 6–15
support routines, NetProgGde 6–55

/etc/kitcap file, ProdKitGde 4–3, 5–10

/etc/sysconfigtab file, SystemAdmin 4–14

Ethernet, TechOver 3–19
See also Fast Ethernet, Gigabit Ethernet
configuring, NetAdmin 2–13

Ethernet interface, See vb network

euro currency symbol, InternatProg 2–14

event
reporting, SystemAdmin 12–1
tracking in XTI, NetProgGde 3–14

event logging
crash recovery, SystemAdmin 12–16
creating daily files, SystemAdmin 12–7
in STREAMS, NetProgGde 5–26

event management, SystemAdmin 13–1, 13–24

Event Manager, SystemAdmin 13–1

event processing
in calling standard for Alpha systems, CallingStandard 5–1

EVM, SystemAdmin 13–1

exception
frame-based, ProgGde 11–5
receiving, AsynchronousTM 5–2
structured, ProgGde 11–5

exception handling
application development considerations, ProgGde 11–1
header files, ProgGde 11–3
POSIX Threads, POSIXThreads 5–1

exception processing
in calling standard for Alpha systems, CallingStandard 5–1

executable program
creating, ProgGde 2–3, 2–20
running, ProgGde 2–22

exp routine, CPML B–9, CPML–35

expm1 routine, CPML B–9, CPML–35

exporting a file system, NetAdmin 10–12

exports file, NetAdmin 10–11, 10–14

expression, CLangRef 6–1

extended regular expression, ProgSupTools 1–4

extensible SNMP, See eSNMP

extensions to kdbx debugger, KernelDebug 2–15

Exterior Gateway Protocol, See EGP

External Data Representation, See XDR routine

F

fabs routine, CPML B–10, CPML–36

factory installed software,
See FIS

Fast Ethernet, TechOver 3–19

fcntl.h file, NetProgGde 3–6

FDDI, TechOver 3–20
configuring, NetAdmin 2–13

fddi_config command, NetAdmin 2–30

feedback file
profile-directed optimization, ProgGde 10–8

FFM, SystemAdmin 6–2

fgrep,
See grep utility

Fiber Distributed Data Interface,
See FDDI

file, CommandShellGde 2–1, 2–5, 3–1
backing up, SystemAdmin 9–1
comparing file differences, CommandShellGde 3–23
including, CLangRef 8–11
listing contents of subset, InstallGde 9–5
recovering, SystemAdmin 9–1
sorting contents of, CommandShellGde 3–25

file (object file tool), ProgGde 2–25

file access, CommandShellGde 5–1

file inclusion, CLangRef 8–11

File Manager, CDECompanion 4–1
accessing, CDECompanion 3–1
managing directories and files, CDECompanion 4–1

file name, CommandShellGde 2–5

file permissions,
CommandShellGde 5–5

file synchronization
realtime, Realtime 8–2

file system, CommandShellGde 2–5, SystemAdmin 6–1
accelerating writes to, Prestoserve 3–3
checking, SystemAdmin 6–46
configuring volumes for, StorageManager 4–14
corrupted, SystemAdmin 6–46
exercising with fsx, SystemAdmin 11–25
exporting, NetAdmin 10–12
free space, SystemAdmin 5–83
halting export of, NetAdmin 10–13
monitoring, SystemAdmin 6–46
monitoring free space, SystemAdmin 5–84
mounting, SystemAdmin 6–20
replicated, NetAdmin B–9
restoring, InstallGdeAdvTop 3–1
tuning, SystemAdmin 6–49

file system layout
customizing during installation, InstallGde 6–34
default, InstallGde 4–2
planning manually, InstallGdeAdvTop 4–1
specifying during installation, InstallGde 6–26

file system quota, SystemAdmin 6–41

File Transfer Protocol,
See FTP

file type
determining, CommandShellGde 3–28

File-on-File Mounting File System,
See FFM

finger command,
CommandShellGde 10–2

Finger Protocol (FINGER),
TechOver 3–9

finite routine, CPML B–10, CPML–37
firmware
updating, InstallGde 5–6
FIS, InstallGde 1–5
documentation included on, DocOverview 1–4
floating-point instruction set
assembly language, AsmLangGde 4–1
floating-point range and processing
IEEE standard, ProgGde 2–5
floor routine, CPML B–10, CPML–38
flow control
convergence module, AsynchronousTM 9–3
hardware, AsynchronousTM 9–1
in calling standard for Alpha systems, CallingStandard 3–1
software, AsynchronousTM 9–2
fmod routine, CPML B–10, CPML–39
font cache
tuning size of, InternatProg 6–41
font renderer, InternatProg 6–44
font server, InternatProg 6–46
fonts
bitmap fonts for local languages, InternatProg 6–46
local-language PostScript, InternatProg 6–27
PostScript font renderers for X applications, InternatProg 6–44
foreground processes, CommandShellGde 6–6
foreign language, See Asian languages
format prefix, NetAdmin 3–8
fp_class routine, CPML B–11, CPML–40
frame-based exception handling, ProgGde 11–5
framework
sockets, NetProgGde 4–1
STREAMS, NetProgGde 5–1
frexp routine, CPML B–11, CPML–41
Front Panel
exiting a session, CDECompanion 3–1
pausing a session, CDECompanion 3–1
using, CDECompanion 3–1
fsck command, SystemAdmin 6–46
fsck program, SystemAdmin 6–20
fstab file, SystemAdmin 6–20
fsx exerciser, SystemAdmin 11–25
FTP, TechOver 3–7
full installation, InstallGde 4–1
boot commands, InstallGde 6–45
building kernel during, InstallGde 6–24
CD–ROM boot procedures, InstallGde 6–4
defined, InstallGde 1–2
enabling realtime preemption, InstallGde 7–10
installing LSM during, InstallGde 4–3
installing WLS, InstallGde 4–2
preinstallation tasks, InstallGde 5–1
preserving existing data, InstallGde 6–40
procedures, InstallGde 6–1
restarting, InstallGde 6–43
special processing for LSM, InstallGde 6–39
system configuration, InstallGde 7–1
user-supplied files, InstallGdeAdvTop 5–1
function prototype, CLangRef 5–8
functions, CLangRef 5–1
allowed sequence of in XTI, NetProgGde 3–20
comparison of XTI and sockets, NetProgGde 3–37
STREAMS, NetProgGde 5–7

G

gamma routine, CPML CPML–46

gated daemon, NetAdmin 2–8, TechOver 3–29
  configuring, NetAdmin 2–17

gated.conf file, NetAdmin 2–9

gateways file, NetAdmin 2–8

General User Documentation Kit, DocOverview 1–9

getty command, SystemAdmin 2–20, 3–7, 3–8

gettydefs file, SystemAdmin 3–3

GID, SystemAdmin 7–10

Gigabit Ethernet, TechOver 3–19

GIOC_MMI_GETVERSION command, AsynchronousTM 7–3

GIOC_MMI_PATH command, AsynchronousTM 7–6

global offset table, See GOT

GOT, AsmLangGde 6–2, CallingStandard 2–4

gprof, See profiling a program

grep utility, ProgSupTools 1–9

group, SystemAdmin 7–1

group file, CommandShellGde 5–1, SystemAdmin 7–9
  and NIS, NetAdmin 9–25

H

halt command, SystemAdmin 2–30

hardware
  adding to the kernel, SystemAdmin 4–20

hardware exception
  debugging, KernelDebug 4–4

hardware management, SystemAdmin 5–1

header file, CLangRef 1–20, 9–1
  including, ProgGde 2–9
  sockets, NetProgGde 4–16
  STREAMS, NetProgGde 5–6

heap memory analyzer
  and profiling, ProgGde 8–21

help, CommandShellGde 1–9

Help Manager
  accessing, CDECompanion 3–1

hiprof, See profiling a program

host
  configuring for IPv6, NetAdmin 3–29
  IPv6 configuration variables, NetAdmin 3–37

Host Resources MIB, NetAdmin G–1

hosts file, NetAdmin 2–11, 2–19

hosts.equiv file, NetAdmin 2–12, 2–20

HSC
  controller failures, SystemAdmin C–2
  host sharing, SystemAdmin C–3
  restrictions, SystemAdmin C–3

HTML documentation, DocOverview 1–5, InstallGde 8–1

hwmgr, SystemAdmin 5–1

hypot routine, CPML B–11, CPML–42

I

ICMP, TechOver 3–17

identifier, CLangRef 1–6
assembly language, AsmLangGde 2–1
IEEE floating-point,
See floating-point range and processing
ifaccess.conf file, NetAdmin 2–29
ifconfig command
enabling access filtering with, NetAdmin 2–29
ilogb routine, CPML B–11, CPML–43
IMAP, NetAdmin 13–24, TechOver 3–10
troubleshooting, NetAdmin 15–73
immediate mode swapping, SystemAdmin 3–45
inactive page list, TechOver 5–6
include file,
See header file
including files, CLangRef 8–11
incoming call
accepting, AsynchronousTM 5–8
receiving, AsynchronousTM 4–2
rejecting, AsynchronousTM 5–8
inetd daemon, NetProgGde 4–51
rpcgen support for, OncRpcProgram 2–18
using to start an RPC server, OncRpcProgram 3–25
init command, SystemAdmin 2–7, 2–17
init.d directory, SystemAdmin 3–3
init.d directory structure, SystemAdmin 3–9
initialization, SystemAdmin 2–7
tasks, SystemAdmin 2–7
inittab file, SystemAdmin 2–7, 2–17, 3–2, 3–4, 3–8
customizing for LAT, NetAdmin 7–9
initdefault entry, SystemAdmin 2–18
input method, InternatProg 6–5
handling in X application, InternatProg 5–19
starting server for, InternatProg 6–6
X resource for, InternatProg 6–6
input mode (vi editor), CommandShellGde A–9
input/output multiplexing, NetProgGde 4–52
Insight Manager,
See Compaq Insight Manager
install.cdf file, InstallGdeAdvTop 6–1
attribute-value pairs, InstallGdeAdvTop A–1
installation, InstallGde 1–1
See also full installation, update installation
customizing, InstallGdeAdvTop 5–1
installation cloning, InstallGdeAdvTop 6–1, SharingSW 7–1
attribute-value pairs, InstallGdeAdvTop A–1
installation media, InstallGde 1–5
installing a cluster, ClusTechOver 9–1
installing the operating system, InstallGde 1–1
instruction and source line profiling, ProgGde 8–11
instruction set
assembly language floating-point, AsmLangGde 4–1
assembly language main instruction set, AsmLangGde 3–1
instructions
disassembling using kdbx, KernelDebug 2–21
interface,
See also network interface
ATM, AsynchronousTM 1–3
interface parameter

requesting, AsynchronousTM 5–3

international software,
InstallGde C–20
installing, InstallGdeAdvTop 2–1

internationalization,
SystemAdmin 3–20, TechOver 10–1
asort command, InternatProg 6–34
CDE clients, InternatProg 6–41
codeset conversion, InternatProg 6–38
creating locales, InternatProg 7–1
Curses library, InternatProg 4–1
file command, InternatProg 6–40
for graphical applications, InternatProg 6–41
handling cultural data in programs, InternatProg 2–13
handling text presentation and input, InternatProg 2–17
implications for software development, InternatProg 1–1
mail utilities, InternatProg 6–32
Motif clients, InternatProg 6–41
Motif widget support, InternatProg 5–6
mule editor, InternatProg 6–40
PC code-page format, InternatProg 2–5
printing subsystem, InternatProg 6–19
supported languages, InternatProg 6–2
system administration, InternatProg 6–2
terminal subsystem, InternatProg 6–8
Unicode support, InternatProg 1–6
user-defined characters, InternatProg 6–17
working in a native-language environment, InternatProg 6–1
X Library, InternatProg 5–7
X/Open Worldwide Portability Interfaces, InternatProg A–1

internationalization features,
CDECompanion 9–1
using, CommandShellGde C–1

Internet,
See TCP

Internet Boot Protocol daemon,
See BOOTP

Internet Control Message Protocol,
See ICMP

Internet Message Access Protocol,
See IMAP

Internet Protocol,
See IP

Internet Protocol Version 6,
See IPv6

InterNIC Registration Services
and IP address, NetAdmin 2–4

interprocess communications,
See IPC

interrupt driven socket I/O,
NetProgGde 4–55

invocation procedure,
CallingStandard 7–1

IP, TechOver 3–2, 3–13

IP address, NetAdmin 2–4
and InterNIC Registration Services, NetAdmin 2–4
obtaining using DNS, NetAdmin 8–31

IP alias, NetAdmin 2–21

IP multicasting, NetProgGde 4–41

IP router, NetAdmin 2–9
configuring system as, NetAdmin 2–18

IP switching
characteristics, NetAdmin 4–4
configuring with ATM, NetAdmin 4–22

planning configuration with ATM, NetAdmin 4–13
ip6rtrd.conf file, NetAdmin 3–39
ip6_setup utility, NetAdmin 3–29
IPC
mechanisms used for, ProgGde 1–7
iptunnel command, NetAdmin 3–35
IPv4 multicasting, TechOver 3–14
IPv6
6bone network, NetAdmin 3–33
address autoconfiguration, NetAdmin 3–8
addressing, NetAdmin 3–2
configuring a host, NetAdmin 3–29
configuring a router, NetAdmin 3–30
environment, NetAdmin 3–12
history, NetAdmin 3–1
information required for configuration, NetAdmin 3–17
planning, NetAdmin 3–16
sample configurations, NetAdmin 3–12
support required in kernel, NetAdmin 3–16
terms, NetAdmin 3–2
troubleshooting, NetAdmin 15–8
types of addresses, NetAdmin 3–3
IPv6 subsystem
tuning, NetAdmin 3–40
ipv6forwarding attribute, NetAdmin 3–37
ipv6router attribute, NetAdmin 3–37
isnan routine, CPML B–12, CPML–44
ISO 10646 standard, TechOver 10–2
ISO codesets, CommandShellGde C–2
ISO standards
application development considerations, ProgGde 1–2

J

j0 routine, CPML B–12, CPML–12
j1 routine, CPML B–12, CPML–12
Japanese,
See Asian languages
Java
documentation for, DocOverview 4–6
JDBC, TechOver 7–2
jn routine, CPML B–12, CPML–12
jobs command, CommandShellGde 6–8
joind daemon, NetAdmin 5–16

K

kdbx debugger, KernelDebug 2–12
command aliases, KernelDebug 2–15
command syntax, KernelDebug 2–12
commands, KernelDebug 2–13
compiling custom extensions to, KernelDebug 3–35
crash dump analysis with, KernelDebug 4–3, 4–7
debugging extensions to, KernelDebug 3–36
executing extensions to, KernelDebug 2–14
extensions to, KernelDebug 3–22
identifying hardware exceptions with, KernelDebug 4–4
library functions for extensions to, KernelDebug 3–2
using extensions to, KernelDebug 2–15
writing extensions to, KernelDebug 3–1
kdebug debugger, KernelDebug 1–3, 2–37
invoking, KernelDebug 2–41
problems with setup of, KernelDebug 2–42
requirements for, KernelDebug 2–38

setting up, KernelDebug 2–39

kernel
building during installation, InstallGde 6–24
configuration file entries, SystemAdmin 4–32
configuring, SystemAdmin 4–1
configuring IPv6 routing in, NetAdmin 3–37
installing ATM options, NetAdmin 4–6
managing attributes, SystemTune 3–10
preemptive vs. nonpreemptive, Realtime 1–4
rebuilding after using setld, InstallGde 9–13
static configuration, SystemAdmin 4–19
tuning, SystemTune 3–10
verifying ATM options, NetAdmin 4–6
vmunix.n file, SystemAdmin 14–3

kernel attribute, SystemTune 3–10

kernel configuration file
editing during full installation, InstallGde 6–48

kernel crash
displaying call stack of user program after, KernelDebug 2–8

kernel debugging, KernelDebug 1–1, 1–3, TechOver 5–2
debugging customized tools, KernelDebug 3–36
debugging running kernel, KernelDebug 1–3, 2–37
developing customized tools, KernelDebug 3–1
linking kernel image for, KernelDebug 1–1
using dbx debugger, KernelDebug 2–2
using kdbx debugger, KernelDebug 2–12
using kdebug debugger, KernelDebug 2–37

kernel-level function
STREAMS, NetProgGde 5–12

kernel module, KernelModules 1–1
attributes, KernelModules 3–1
building, KernelModules 10–1
choosing resources to lock, KernelModules 6–13
developing, KernelModules 1–6
dynamically loading, KernelModules 10–8
initializing, KernelModules 2–1, 2–4
making safe in SMP environment using complex locks, KernelModules 8–1
multithreaded programming, KernelModules 9–1
statically linking, KernelModules 10–6

kernel product kit, ProdKitGde 5–1
kit directory structure, ProdKitGde 5–2

kernel program
debugging, KernelDebug 1–3

kernel routine
ATM, AsynchronousTM A–1

kernel subsystem
configuring STREAMS drivers, NetProgGde 5–20
configuring STREAMS modules, NetProgGde 5–20

kernel thread
advantages of using, KernelModules 9–1
blocking, KernelModules 9–10
creating and starting, KernelModules 9–6
setting a timer for current, KernelModules 9–25

terminating, KernelModules 9–19
unblocking, KernelModules 9–17

kernel thread routine
data structures, KernelModules 9–5

keyboard
customizing settings, CDECompanion 5–8
LK-style with PCXAL, CDECompanion 8–5
LK201/LK401, CDECompanion 8–5
PC-style with LK201/LK401, CDECompanion 8–5
window emulation of, InternatProg 6–4

Keycaps
customizing keyboard, CDECompanion 5–9

keyword, CLangRef 1–8

Korean,
See Asian languages

Korn shell, CommandShellGde 7–1, 8–1
.logout script, CommandShellGde 7–24
redirecting errors, CommandShellGde 6–4

.kshrc login script, CommandShellGde 7–16

L

LAN emulation,
See LANE

LAN setup for DMS, SharingSW 10–3

LAN setup for RIS, SharingSW 3–4

LANE
characteristics, NetAdmin 4–3
configuring with ATM, NetAdmin 4–20
managing the environment, NetAdmin 4–27
planning configuration with ATM, NetAdmin 4–11

language announcement in programs, InternatProg 1–4

language support
installing, InstallGdeAdvTop 2–1

lastcomm command, SystemAdmin 10–30

LAT, TechOver 3–31
configuring with latsetup, NetAdmin 7–6
creating your own service, NetAdmin 7–17
dedicated tty device on a terminal, NetAdmin 7–18
devices, NetAdmin 7–6
gateway service, NetAdmin 7–15
host-initiated connection, NetAdmin 7–13
outgoing connections, NetAdmin 7–14
printer setup, NetAdmin 7–10
troubleshooting, NetAdmin 15–64

latsetup command, NetAdmin 7–6

layered applications
documentation for, DocOverview 1–10

layered product kit, ProdKitGde 1–1
building subsets and control files, ProdKitGde 3–1
directory structure, ProdKitGde 2–1
producing distribution media, ProdKitGde 4–1, 5–8

ld command, ProgGde 2–20

ldexp routine, CPML B–13, CPML–45

learp command, NetAdmin 4–27

lex program, ProgSupTools 4–1

lexicon, CLangRef 1–1

lgamma routine, CPML B–13, CPML–46

lgamma_max_float boundary value, CPML A–4

libc.so default C library, ProgGde 2–21

libexc exception library, ProgGde 11–1

library,
See also shared library
ANSI C standard, CLangRef 9–1
linking programs with, ProgGde 2–21
run-time, ProgGde 2–21
TLI, NetProgGde 3–6
XTI, NetProgGde 3–6

library call
sockets, NetProgGde 4–10

library functions
for extensions to kdbx debugger, KernelDebug 3–2

library routines
for writing kdbx extensions, KernelDebug 3–2

libtli.a library, NetProgGde 3–6

libxti.a library, NetProgGde 3–6

license
activity, LicenseManage 1–5
availability, LicenseManage 1–4
canceling, LicenseManage 2–10
deleting, LicenseManage 2–10
disabling, LicenseManage 2–9
enabling, LicenseManage 2–9
issuing, LicenseManage 2–10
loading, LicenseManage 2–6
registering, LicenseManage 2–2
unlimited, LicenseManage 2–2
unloading, LicenseManage 2–8
updating, LicenseManage 2–11

license-checking function, LicenseManage 1–2

license database for LMF, LicenseManage 1–1

License Management Facility, See LMF

license terms and conditions, LicenseManage 1–3

license unit, LicenseManage 1–2

License Unit Requirement Table, See LURT

linkage, CLangRef 2–11

linking files, CommandShellGde 3–13

lint
coding problem checker, ProgGde 6–1

listing directory contents, CommandShellGde 3–2

.lita section, AsmLangGde 6–5

literal characters
using backslash, CommandShellGde 7–11
using double quotes, CommandShellGde 7–12
using single quotes, CommandShellGde 7–12

little-endian
byte ordering, AsmLangGde 1–2

LMF, LicenseManage 1–1
activity license, LicenseManage 1–5
availability license, LicenseManage 1–4
commands, LicenseManage 2–1
license-checking function, LicenseManage 1–2, 1–9
license database, LicenseManage 1–2
license terms and conditions, LicenseManage 1–3
license units, LicenseManage 1–2
LURT, LicenseManage 1–2
OSF_USR license, LicenseManage 2–2
PAAM, LicenseManage 1–6, 2–11

lmf reference page, LicenseManage 1–2

lmf utility, LicenseManage 1–2

lmfsetup script, LicenseManage 1–2

ln command, CommandShellGde 3–13, 3–15

ln routine, CPML B–13, CPML–47

Local Area Transport, See LAT

local management service
in DLPI, NetProgGde 2–4

locale, CommandShellGde C–1, InternatProg 1–2, SystemAdmin 3–16, TechOver 10–3
binding to program's run-time environment, InternatProg 2–21
building and testing, InternatProg 7–57
categories of, CommandShellGde C–8
creating, InternatProg 7–1, TechOver 10–6
determining which locale is set, CommandShellGde C–6
effect on date and time format, CommandShellGde C–4
effect on messages, CommandShellGde C–5
effect on software, CommandShellGde C–2
numeric and monetary format in, CommandShellGde C–5
setting, InternatProg 6–2
yes/no response strings, CommandShellGde C–5

localization, See also internationalization
implications for software development, InternatProg 1–2

location and area
setting during full installation, InstallGde 6–14

lock
accessing, CDECompanion 3–1
complex, KernelModules 8–1

locking methods
choosing, KernelModules 6–9
comparing simple and complex locks, KernelModules 6–5
complex lock, KernelModules 6–1
simple lock, KernelModules 6–1

log routine, CPML CPML–47

log10 routine, CPML B–14, CPML–47

log1p routine, CPML B–14, CPML–47

log2 routine, CPML B–13, CPML–47

logarithm
ilogb, compute unbiased component, CPML CPML–43
logb, convert to double-precision floating-point, CPML CPML–48

logb routine, CPML B–14, CPML–48

logging in, CommandShellGde 1–1, Security 2–1
specifying a language, CDECompanion 2–7
specifying a session, CDECompanion 2–8

logging out
of a session, CommandShellGde 1–4

logical partition
configuring, SystemAdmin D–3

Logical Storage Manager, See LSM

login account, CommandShellGde 5–2

.login login script
modifying for System V habitat, CommandShellGde 9–2

Login Manager, CDECompanion 2–7

login program, CommandShellGde 7–13

login screen
selecting options, CDECompanion 1–1

login script

.cshrc script, CommandShellGde 7–16
.kshrc script, CommandShellGde 7–16
.login script, CommandShellGde 7–16
.profile script, CommandShellGde 7–16
logout script, CommandShellGde 7–23
lpd daemon, SystemAdmin 8–32
lpq command, CommandShellGde 3–10, 3–12
lpr command, CommandShellGde 3–10
printing files, CommandShellGde 3–10
lprm command, CommandShellGde 3–13
lprsetup utility
running, SystemAdmin 8–17
lptest command, SystemAdmin 8–43
ls command, CommandShellGde 3–2
LSM, TechOver 2–12
See also Visual Administrator
bootable tape utility and, StorageManager 3–11n
configuring during full installation, InstallGde 4–3
daemons, StorageManager 3–7
directories, StorageManager 3–7
drivers, StorageManager 3–7
error messages, StorageManager 7–1
EVM and, StorageManager 6–1
files, StorageManager 3–7
improving performance, SystemTune 8–4, 8–6
initializing, StorageManager 3–4
installing, StorageManager 3–1
managing objects, StorageManager 5–1
managing plexes, StorageManager 5–22
managing subdisks, StorageManager 5–27
managing volumes, StorageManager 5–14
monitoring, SystemTune 8–22
performance, SystemTune 2–13
special processing during full installation, InstallGde 6–39
Storage Administrator, StorageManager A–1
troubleshooting, StorageManager 6–1
uninstalling, StorageManager 6–25
upgrading, StorageManager 3–1
verifying initialization, StorageManager 3–6
voldiskadm menu interface, StorageManager C–1
LSM daemon
monitoring, StorageManager 6–7
LSM interfaces, StorageManager 1–14
LSM object hierarchy, StorageManager 1–2
LSM software subset, StorageManager 3–3
LURT, LicenseManage 1–2
lvalue, CLangRef 2–23

M

m4 macro preprocessor, ProgSupTools 5–1
macro, CLangRef 8–1
See also m4 macro preprocessor
predefined, CLangRef 8–15

magic number, ProgGde 2–25

magnetic tape drive
testing with tapex, SystemAdmin 11–34

mail, NetAdmin 13–1
accessing, CDECompanion 3–1
administering aliases, NetAdmin 13–40
aliases, CommandShellGde 11–16
and DECnet, NetAdmin 13–6
configuring a client, NetAdmin 13–15
configuring a server, NetAdmin 13–16
configuring a standalone system, NetAdmin 13–14
converting to CDE format, CDECompanion 10–1
customizing mail program, CommandShellGde 11–15
differences between dtmail and dxmail, CDECompanion A–1
enhancements for Asian languages, InternatProg 6–32
error messages, NetAdmin F–1
exiting from, CommandShellGde 11–15
gateway, NetAdmin 13–4
getting help, CommandShellGde 11–14
IMAP, NetAdmin 13–24
internationalization, InternatProg 6–32
POP, NetAdmin 13–18
troubleshooting, NetAdmin 15–71, 15–73

mail conversion utility, CDECompanion 10–3

mail utility, NetAdmin 13–38

mailconfig application, NetAdmin 13–13

Mailer,
See dtmail utility, mail utility, mailx utility

mailq command, NetAdmin 13–39

mailstats command, NetAdmin 13–42

mailusradm utility, NetAdmin 13–21, 13–25, 13–27

mailx utility, NetAdmin 13–38
commands, CommandShellGde F–1
escape commands, CommandShellGde E–1

make utility, ProgSupTools 7–1

makedbm command, NetAdmin 9–21, 9–22

man command, CommandShellGde 1–9

manpage,
See reference page

mapping table, TechOver 3–17

max_float boundary value, CPML A–1

memory
allocating for ATM, AsynchronousTM 2–8
configuring, SystemTune 2–5
detecting leaks, ProgGde 8–21
displaying, SystemTune 6–16
exercising with memx, SystemAdmin 11–26
increasing, SystemTune 6–24
operation, SystemTune 6–1
paging, SystemTune 6–12
reclaiming pages, SystemTune 6–9
requirements, SystemTune 2–5
shared, SystemTune 6–34
swap space, SystemTune 2–6
swapping, SystemTune 6–13
testing shared memory, SystemAdmin 11–27

Memory Channel, ClusTechOver 7–1

Memory File System,
See MFS

memory locking
realtime, Realtime 4–1

memory mapped file support, See mmap

memory trolling
model, SystemAdmin 11–19

memx exerciser, SystemAdmin 11–26

message
realtime, Realtime 10–1
sending, using write command, CommandShellGde 11–21

message buffer, preserved
examining with dbx debugger, KernelDebug 2–10

message catalog
creating source files for, InternatProg 3–1
design and maintenance considerations, InternatProg 3–20
editing and translating, InternatProg 3–15
generating from message sources, InternatProg 3–16

message handler (mh), NetAdmin 13–38

message queue
realtime, Realtime 10–1

MFS, SystemAdmin 6–2, 6–17

MIB
Host Resources, NetAdmin G–1

MIB subtree
eSNMP, NetProgGde 6–6

Microsoft NT RAS server, NetAdmin 6–23

migration
from DECwindows Motif to CDE, CDECompanion 7–1

min_float boundary value, CPML A–2

mkdir command, CommandShellGde 3–1

mmap, TechOver 6–9

MMI
calling conventions, AsynchronousTM 7–5
connecting convergence module to, AsynchronousTM 5–3
convergence module, AsynchronousTM 7–7
creating path, AsynchronousTM 7–2
defining ioctl commands, AsynchronousTM 7–4
device driver, AsynchronousTM 7–6
signaling module, AsynchronousTM 7–7
verifying ioctl version, AsynchronousTM 7–3

modem
guidelines, NetAdmin 6–15, 6–27
using with SLIP, NetAdmin 6–3

modf routine, CPML B–14, CPML–49

Module Management Interface, See MMI

monetary value
formatting rules in a locale, InternatProg 7–19

Monitoring Performance History utility, See MPH

monitoring the system, SystemAdmin 11–1, 11–10, SystemTune 3–1

more command, CommandShellGde 3–5

Motif, TechOver 8–8
internationalization, InternatProg 5–4

Motif graphical user interface
enhancements for native languages, InternatProg 6–41
widget support, InternatProg 5–6

mount command, SystemAdmin 6–20

mountd daemon, NetAdmin 10–11
mounting a remote file system, NetAdmin 10–17
mounting the online documentation CD-ROM, InstallGde 8–2
moving a file, CommandShellGde 3–21
MPH, TechOver 2–22
mule editor, InternatProg 6–40
multicasting, NetProgGde 4–41
multihead graphic support, TechOver 8–3
multilanguage program
compiling, ProgGde 2–16
include files for, ProgGde 2–11
multiple adapter support, NetAdmin 2–22, 2–27
multiple windows
managing, CDECompanion 2–4
multiplexing, NetProgGde 4–52
multiprocessor system
enabling unattended reboots, InstallGde 7–10
multithreaded application,
See also POSIX Threads Library
building, ProgGde 12–11
debugging, POSIXThreads C–1
developing, KernelModules 9–1, POSIXThreads 1–1
developing libraries for, ProgGde 12–1
profiling, ProgGde 8–29
multiuser boot, SystemAdmin 2–7
mutex, POSIXThreads 2–26, 4–3

N

name services configuration file,
See svc.conf file
name space, CLangRef 2–24
Name/Finger Protocol,
See Finger Protocol (FINGER)
namei cache
tuning, SystemTune 9–1
naming services
DNS, NetAdmin 8–1
NIS, NetAdmin 9–1
naming your system
during installation, InstallGde 6–12
national language support, SystemAdmin 3–16
netconfig application, NetAdmin 2–12
NetRAIN
configuring an interface, NetAdmin 2–22
monitoring the interface, NetAdmin 2–27
Netscape Navigator
using to view online documentation, InstallGde 8–2
netstat command, NetAdmin 2–29, 16–3, A–1
network
administering, NetAdmin 1–1
bandwidth management, NetProgGde 7–1
monitoring, SystemTune 10–1
QoS, NetProgGde 7–1
QoS architecture, NetProgGde 7–2
QoS component operation, NetProgGde 7–3
reporting problems, NetAdmin 18–1
troubleshooting, NetAdmin 15–1, 16–1
tuning, SystemTune 10–6
vb, SysConfigSup 3–1
network adapter,
See also network interface
setting mode during installation, InstallGde 5–7

network addresses
and sockets, NetProgGde 4–32

network administration, NetAdmin 1–1

network availability, SystemTune 2–18

network configuration
broadcasting and determining, NetProgGde 4–48

Network File System, See NFS

Network Information Service, See NIS

network installation, InstallGdeAdvTop 1–1

network interface, NetAdmin 2–1
adding an IPv6 address to, NetAdmin 3–35
configuring, NetAdmin 2–13
configuring multiple for failover, NetAdmin 2–22
deconfiguring, NetAdmin 2–15
deleting an IPv6 address from, NetAdmin 3–36
initializing for IPv6, NetAdmin 3–34
monitoring, NetAdmin A–1, TechOver 3–32
multiple in same subnetwork, NetAdmin 2–21, 2–27
removing IPv6 from, NetAdmin 3–35

network programming environment, TechOver 6–10
application programming interfaces, TechOver 6–10
data link interface, TechOver 6–10

network security, Security 3–1

Network Time Protocol, See NTP

networks file, NetAdmin 2–12, 2–21

newfs command, SystemAdmin 6–16

nextafter routine, CPML B–15, CPML–50

NFS, NetAdmin 10–1, TechOver 3–8
and BIND, NetAdmin 10–1
and NIS, NetAdmin 10–1
and superuser mail, NetAdmin 10–14
autofsd, NetAdmin 10–2
automount, NetAdmin 10–2
displaying, SystemTune 9–38
environment, Prestoserve 1–3
error messages, NetAdmin D–1
improving file security, NetAdmin 10–11
monitoring system load, NetAdmin 10–16
mounting a remote file system, NetAdmin 10–17
network problems, Prestoserve 1–4
Prestoserve impact on performance, Prestoserve 1–8
troubleshooting, NetAdmin 15–47, 15–50
tuning, SystemTune 9–40
unmounting a remote file system, NetAdmin 10–24

NFS client
configuring, NetAdmin 10–9
managing, NetAdmin 10–17
mounting a remote file system, NetAdmin 10–17
problems, Prestoserve 1–5
unmounting a remote file system, NetAdmin 10–24

NFS mounted RIS area, SharingSW 4–10

NFS server
configuring, NetAdmin 10–8
exporting file systems, NetAdmin 10–12
halting export of file systems, NetAdmin 10–13

managing, NetAdmin 10–11
monitoring ports, NetAdmin 10–16
problems, Prestoserve 1–6

NFS setup for DMS, SharingSW 10–3

nfsconfig application, NetAdmin 10–8

nfsstat command, NetAdmin 10–16

nint routine, CPML B–15, CPML–51

NIS, NetAdmin 9–1
adding groups to a domain, NetAdmin 9–25
adding users to a domain, NetAdmin 9–23
changing a password, NetAdmin 9–31
databases distributed by, NetAdmin 9–2
modifying svc.conf, NetAdmin 9–19
obtaining map information, NetAdmin 9–31
security, NetAdmin 9–29
troubleshooting, NetAdmin 15–40, 15–44
updating maps, NetAdmin 9–25

NIS client
configuring, NetAdmin 9–17
managing, NetAdmin 9–31

NIS server
configuring a master server, NetAdmin 9–11
configuring a slave server, NetAdmin 9–15
managing, NetAdmin 9–20
update scripts, NetAdmin C–1

nissetup command, NetAdmin 9–10

nm (object file tool), ProgGde 2–24

nr interface, NetAdmin 2–22

nslookup command, NetAdmin 8–31, 17–20

NTP
authentication, NetAdmin 12–6
configuring, NetAdmin 12–6
displaying status, NetAdmin 12–9
Internet time servers, NetAdmin 12–4
reference clock, NetAdmin 12–4
troubleshooting, NetAdmin 15–56

ntp command, NetAdmin 12–10

ntpdate command, NetAdmin 12–10

ntpq command, NetAdmin 12–8

ntpsetup command, NetAdmin 12–6

numeric value
formatting rules in a locale, InternatProg 7–21

O

object file
determining section sizes, ProgGde 2–25
disassembling into machine code, ProgGde 2–26
dumping selected parts of, ProgGde 2–24

object file tools, ProgGde 2–23

object hierarchy
LSM, StorageManager 1–2

object tables
eSNMP, NetProgGde 6–8

ODBC, TechOver 7–2

odump (object file tool), ProgGde 2–24

OEM platforms, SysConfigSup 1–1
vb network configuration, SysConfigSup 3–1
VMEbus configuration, SysConfigSup 2–1

ONC RPC,
See RPC

online documentation, InstallGde 8–1
copying to disk, InstallGde 8–6

onlink prefix
adding a route for, NetAdmin 3–36

Open Shortest Path First, See OSPF

OpenMP directive, ProgGde 13–1

OpenVMS
enabling display, CDECompanion 5–3

operating system
list of fixes for, DocOverview 5–2
overview of, CommandShellGde 1–1

operating system processes, CommandShellGde 6–1

operator, CLangRef 1–9, 6–1

optimization
compilation options, ProgGde 2–20
profile-directed, ProgGde 10–8, F–2
techniques, ProgGde 10–1
with -om and cord, ProgGde F–1
with spike, ProgGde 10–6

options
XTI, NetProgGde 3–43

options file, NetAdmin 6–20, 6–26

orderly release, NetProgGde 3–9

OSF_USR license, LicenseManage 2–2

OSPF, TechOver 3–6

out-of-band data
handling in the socket framework, NetProgGde 4–38

overlapping disk partitions
checking for, SystemAdmin 5–72

P

PAAM, LicenseManage 1–6
current business policy, LicenseManage 2–11

pac command, SystemAdmin 10–34

page command, CommandShellGde 3–5

page faulting, SystemTune 6–7

paging, SystemTune 6–12

PAK, LicenseManage 1–6
fields on, LicenseManage 1–7e
obtaining, LicenseManage 1–6
sample PAK license fields, LicenseManage 1–7e

PALcode
instruction summaries, AsmLangGde D–1

pap-secrets file, NetAdmin 6–14

parallel processing
OpenMP directives, ProgGde 13–1
pre-OpenMP style, ProgGde D–1

passwd command, CommandShellGde 1–6

passwd file, SystemAdmin 7–9
and NIS, NetAdmin 9–23

password, CommandShellGde 1–6, SystemAdmin 7–1
changing in NIS, NetAdmin 9–31
common, CommandShellGde 1–6
file, CommandShellGde 5–1
security tips, Security 2–3
setting with enhanced security enabled, Security 2–3

patches to operating system
lists of for operating system versions, DocOverview 5–2

PATH environment variable, CommandShellGde 7–23
setting for System V habitat, CommandShellGde 9–2

pathname, CommandShellGde 2–8

pathname conventions (UUCP), CommandShellGde 14–1

pax command, SystemAdmin 9–5

PC code page,
See also codeset conversion
locale, InternatProg 2–5

PC-NFS daemon, NetAdmin 10–8

PCI/ISA (DMCC) Alpha single-board computer, SysConfigSup 1–1

PCI/ISA Alpha 21264 single-board computer, SysConfigSup 1–1

PCMCIA card
configuring, SystemAdmin D–1

PDF documentation, DocOverview 1–5, InstallGde 8–1

performance,
See also tuning
application, SystemAdmin 11–10, SystemTune 11–4
availability, SystemTune 1–14
characterizing a workload, SystemTune 2–1
configuration and tuning steps, SystemTune 4–1
CPU, SystemTune 7–8
diagnosing problems, SystemTune 3–1
hardware, SystemTune 2–3, 2–9
improving, SystemTune 4–1
measuring, SystemTune 1–1
memory operation, SystemTune 6–1
modifying the kernel, SystemTune 3–10
monitoring, SystemTune 3–1, 3–4, 3–7
network, SystemTune 10–1
system resources, SystemTune 5–1

performance history
monitoring, SystemAdmin 11–13

permanent virtual circuit,
See PVC

permissions, CommandShellGde 5–1
changing, CommandShellGde 5–4
setting default, CommandShellGde 5–13
setting file and directory, CommandShellGde 5–8
setting with octal numbers, CommandShellGde 5–11

Personal Application subpanel, CDECompanion 3–4

PFS, TechOver 4–10

pg command, CommandShellGde 3–5

ping command, NetAdmin 16–2

pipe character, CommandShellGde 7–8

pipeline
using, CommandShellGde 7–8

pixie,
See profiling a program

point-to-multipoint,
See connection

point-to-point,
See connection

Point-to-Point Protocol,
See PPP

pointer size
conversion, ProgGde A–1

POP, NetAdmin 13–18, TechOver 3–10
troubleshooting, NetAdmin 15–73

port monitoring, NetAdmin 10–16

Portable Character Set (PCS), InternatProg 1–5

porting applications to XTI, NetProgGde 3–33

portmap daemon
Prestoserve, Prestoserve 2–10

portmap network service, OncRpcProgram 1–3

POSIX shell, CommandShellGde 7–1, 8–1
.logout script, CommandShellGde 7–24
redirecting errors, CommandShellGde 6–4

POSIX signal functions, Realtime 5–2

POSIX standards
application development considerations, ProgGde 1–2
realtime, Realtime 1–17

POSIX Threads exception package, POSIXThreads 5–1

POSIX Threads Library, KernelModules 9–1, POSIXThreads 1–1
condition variables, POSIXThreads 2–30, 4–3
considerations for Tru64 UNIX systems, POSIXThreads A–1
error reporting, POSIXThreads 3–23
exceptions, POSIXThreads 5–1
mutexes, POSIXThreads 2–26, 4–3
objects, POSIXThreads 2–1
operations, POSIXThreads 2–1
programming, POSIXThreads 3–1
pthread routines, POSIXThreads pthread–1
thread-safe libraries, POSIXThreads 4–1
tis routines, POSIXThreads tis–1

POSIX Threads Library debugger, POSIXThreads C–1

Post Office Protocol, See POP

postload file, InstallGdeAdvTop 5–1

postreboot file, InstallGdeAdvTop 5–1

pow routine, CPML B–15, CPML–52

power management, SystemAdmin 3–37

PPA
adding, AsynchronousTM 4–4
binding to, AsynchronousTM 5–6
data structure, AsynchronousTM 2–35
deleting, AsynchronousTM 4–4
unbinding, AsynchronousTM 5–8

PPP, NetAdmin 6–11
See also connection, SLIP
and gateways, NetAdmin 6–26
configuring dial-in system, NetAdmin 6–25
configuring dial-out system, NetAdmin 6–19
guidelines for running pppd, NetAdmin 6–23
Microsoft NT RAS server, NetAdmin 6–23
security, NetAdmin 6–14
troubleshooting, NetAdmin 15–62

pppd daemon, NetAdmin 6–13

pragma
assert directive, ProgGde 3–2
environment, ProgGde 3–6
extern_model directive, ProgGde 3–7
extern_prefix, ProgGde 3–11
function, ProgGde 3–14
inline, ProgGde 3–13
intrinsic, ProgGde 3–14
linkage, ProgGde 3–16
member_alignment, ProgGde 3–19
message, ProgGde 3–20
optimize, ProgGde 3–25
pack, ProgGde 3–27
pointer_size, ProgGde 3–28
preprocessor directive, CLangRef 8–12
use_linkage, ProgGde 3–29
weak, ProgGde 3–30

prdaily shell script, SystemAdmin 10–40

preinstall file, InstallGdeAdvTop 5–1

preprocessing, CLangRef 2–24, 8–1

preprocessor directive, CLangRef 2–24, 8–1

preserved message buffer

examining with dbx debugger, KernelDebug 2–10

presto command, Prestoserve 3–3

prestoctl_svc daemon
Prestoserve, Prestoserve 2–11

Prestoserve
adding kernel support, Prestoserve 2–4
creating generic control device, Prestoserve 2–9
improving NFS server performance, Prestoserve 1–6
installing dxpresto subset, Prestoserve 2–1
managing, Prestoserve 3–3
monitoring, Prestoserve 3–3, 3–8
pseudodevice driver, Prestoserve 1–2, 3–1
recovering from failures, Prestoserve 4–1
setting up, Prestoserve 2–6
speeding up synchronous writes, Prestoserve 1–1

prestosetup command
setting up Prestoserve, Prestoserve 2–6

Print Manager
accessing, CDECompanion 3–1

printed documentation, See Tru64 UNIX Documentation Kit

printer, SystemAdmin 8–1
device special file name, SystemAdmin 8–29
lpc command, SystemAdmin 8–22
setting up, SystemAdmin 8–12
support for local languages, InternatProg 6–19
troubleshooting, SystemAdmin 8–43
using with LAT, NetAdmin 7–10

printf routine, KernelModules 5–15

printing
internationalized, InternatProg 6–19
reference pages, CommandShellGde 1–9

priority
realtime, Realtime 2–1

privileges, See DOP

/proc File System, See PFS

procedure descriptor, CallingStandard 8–1

procedure invocation, CallingStandard 7–1

process, CommandShellGde 6–1
initializing, SystemAdmin 2–7

process information, CommandShellGde 6–14

processing text files, See awk utility, m4 macro preprocessor

Product Authorization Amendment, See PAAM

Product Authorization Key, See LMF, PAK

prof, See profiling a program

.profile login script, CommandShellGde 7–16
modifying for System V habitat, CommandShellGde 9–2

profile set, SharingSW 7–1

profiling a program, ProgGde 8–1

profiling an application, SystemTune 11–1

profiling the kernel, SystemTune 3–9

program number assignment, OncRpcProgram 1–5

programming languages supported by Tru64 UNIX, ProgGde 1–4

protocol
selecting in sockets, NetProgGde 4–36
prototype, CLangRef 5–8
providing boot disk redundancy, StorageManager 3–11
prtacct shell script, SystemAdmin 10–40
pseudodevice driver
Prestoserve, Prestoserve 1–2, 3–1
pseudoterminal, NetProgGde 4–57
and sockets, NetProgGde 4–57
pthread routine, POSIXThreads pthread–1
punctuator, CLangRef 1–10
PVC
creating, AsynchronousTM 6–9

Q

QoS, NetAdmin 2–35, NetProgGde 7–1
component operation, NetProgGde 7–3
components, NetProgGde 7–2
modifying, AsynchronousTM 5–6
quality of service, See QoS
queue
convergence module guidelines, AsynchronousTM 8–3
device driver guidelines, AsynchronousTM 8–1
Quick Setup utility, InstallGde 7–3, TechOver 2–8
quickstart, TechOver 6–5
quit (q) command
vi editor, CommandShellGde A–4
quorum, ClusTechOver 3–4
quorum disk, ClusTechOver 3–6
quota
AdvFS, AdvFSAdmin 2–1
UFS, SystemAdmin 6–41
quoting conventions, CommandShellGde 7–11

R

RAID, SystemTune 1–7
improving performance, SystemTune 8–28
mirroring, SystemTune 2–17
parity, SystemTune 2–14
striping, SystemTune 2–13
random routine, CPML B–15, CPML–53
RAPI, NetProgGde 7–6
debugging applications, NetProgGde 7–8
routines, NetProgGde 7–7
support for, NetProgGde 7–1
testing applications, NetProgGde 7–8
raw RPC, OncRpcProgram 3–14
rc directory structure, SystemAdmin 3–9
rc.config file
IPv6 variables, NetAdmin 3–37
rc0 script, SystemAdmin 3–3
rc2 script, SystemAdmin 3–3
rc3 script, SystemAdmin 3–3
rcmgr command, SystemAdmin 3–3
rcn.d directory, SystemAdmin 3–3
RCS, ProgSupTools 6–1
rdump command, SystemAdmin 9–5
realtime, Realtime 1–1
asynchronous I/O, Realtime 7–1

capabilities of the operating system, Realtime 1–4, A–1
clocks, Realtime 6–1
environments, TechOver 6–9
memory locking, Realtime 4–1
message queues, Realtime 10–1
messages, Realtime 10–1
performance tuning, Realtime 11–1
POSIX standards, Realtime 1–17
preemptive kernel, Realtime 1–4
priorities, Realtime 2–1
scheduling, Realtime 2–1
semaphores, Realtime 9–1
shared memory, Realtime 3–1
signal handling, Realtime 5–1
synchronized I/O, Realtime 8–2
system tuning, Realtime 11–3
timers, Realtime 6–1

realtime preemption
enabling after full installation, InstallGde 7–10

reboot
enabling unattended reboots, InstallGde 7–10

recovering objects
failed boot disk, StorageManager 6–23

redirecting input/output, CommandShellGde 6–2

reference page, CommandShellGde 1–9
in printed books, DocOverview 6–2
overview of sections, DocOverview 6–3
processing a translated, InternatProg 6–35
reading on line, DocOverview 6–1

registerrpc routine, OncRpcProgram 3–4

regular expression, ProgSupTools 1–1

remainder routine, CPML B–16, CPML–54

remote debugging, KernelDebug 2–37

remote file, NetAdmin 6–32

remote host
working on, CommandShellGde 13–1

Remote Installation Services, See RIS

remote procedure call, See RPC

remote system
requesting connection to, AsynchronousTM 5–5

removing a directory, CommandShellGde 4–10, 4–11
current directory, CommandShellGde 4–12

removing a file, CommandShellGde 3–26

removing LSM software, StorageManager 6–25

renaming a directory, CommandShellGde 4–9

renaming a file, CommandShellGde 3–21

replicated file system, NetAdmin B–9

resource
releasing, AsynchronousTM 5–4
reserving, AsynchronousTM 5–4

Resource ReSerVation Protocol, See RSVP

restart completion
reporting to CMM, AsynchronousTM 4–4

restart installation, InstallGde 6–43

restart nogui command, InstallGde 6–43

restore command, SystemAdmin 9–5

restore configuration
using config.cdf file, InstallGdeAdvTop 7–1

restore procedure, SystemAdmin 9–1

Restricted Bourne shell, CommandShellGde 7–1, 7–4

Revision Control System, See RCS

rint routine, CPML B–16, CPML–55

RIP, TechOver 3–5

RIS, SharingSW 1–1
- architecture, SharingSW 2–1
- planning disk space, SharingSW 3–3
- product environment, SharingSW 2–3
- setting up a LAN, SharingSW 3–4
- software sharing environment, SharingSW 1–2

RIS area, SharingSW 1–1
- existing area software installation, SharingSW 4–5
- mounting on NFS, SharingSW 4–10
- new area software installation, SharingSW 4–1

RIS client, SharingSW 1–1
- booting, SharingSW 5–1
- characteristics, SharingSW 2–4
- compatibility with server, SharingSW 3–1
- managing, SharingSW 6–1
- registering, SharingSW 2–5

RIS server, SharingSW 1–1
- compatibility with client, SharingSW 3–1
- installing from, InstallGdeAdvTop 1–1
- installing operating system on, SharingSW 3–3
- preparing, SharingSW 3–1
- setting up, SharingSW 4–1

RIS troubleshooting, SharingSW 8–1

rlogin command, CommandShellGde 13–1
- using, CommandShellGde 13–1

root password
- setting during installation, InstallGde 6–18

root user
- tasks performed by, CommandShellGde 5–18

route
- adding for an onlink prefix, NetAdmin 3–36
- static, NetAdmin 2–10, 2–19

routed daemon, NetAdmin 2–7
- configuring, NetAdmin 2–16

router
- configuring for IPv6, NetAdmin 3–30
- IPv6 configuration variables, NetAdmin 3–37

routes file, NetAdmin 2–10, 2–19

routine
- commonly used by kernel modules, KernelModules 5–1
- data copying, KernelModules 5–7
- kernel-related, KernelModules 5–14

routing, NetAdmin 2–7, 2–8, 2–10, 2–19

Routing Information Protocol, See RIP

routing protocols, TechOver 3–4

RPC, OncRpcProgram 1–1, 3–1
- See also rpcgen protocol compiler
- broadcast, OncRpcProgram 2–21, 3–17
- debugging, OncRpcProgram 2–16
- language, OncRpcProgram 2–22
- layers, OncRpcProgram 3–1
- raw, OncRpcProgram 3–14
- registration, OncRpcProgram 1–5, 1–6
- supported transports, OncRpcProgram 1–4

using TCP transport, OncRpcProgram 3–28
RPC language, OncRpcProgram 1–1
RPC messages
batching, OncRpcProgram 3–18
RPC programming, OncRpcProgram 3–1
rpcgen protocol compiler, OncRpcProgram 2–1
declarations, OncRpcProgram 2–24
programming with, OncRpcProgram 2–17
rrestore command, SystemAdmin 9–5
RSVP, NetAdmin 2–35, NetProgGde 7–5, TechOver 3–10
application programming interface, NetProgGde 7–6
implementing in applications, NetProgGde 7–8
system roles, NetProgGde 7–3
RSVP application programming interface, See RAPI
rsvpd daemon, NetProgGde 7–6
rsvpstat command, NetProgGde 7–8
rt_post_callout routine, SysConfigSup 2–27, 2–66
run level, SystemAdmin 2–17
defaults, SystemAdmin 3–5
run-time library, supported, TechOver 6–6
runacct shell script, SystemAdmin 10–35
ruptime command, CommandShellGde 10–5
rvalue, CLangRef 2–23
rwhod daemon, NetAdmin 2–6
configuring, NetAdmin 2–15

S

-S compilation option, AsmLangGde 6–14
.s files, AsmLangGde 6–14
sa command, SystemAdmin 10–26
SAS
bootable tape, SystemAdmin 9–30
savecore command, SystemAdmin 14–3
scalb routine, CPML B–16, CPML–56
SCCS, ProgSupTools 6–1
sccs command, ProgSupTools 6–17
–d option, ProgSupTools 6–8
scheduling
realtime, Realtime 2–1
scope, CLangRef 2–3
SCSI, SystemTune 1–9
device name, SystemAdmin 5–40
standards supported, SystemAdmin 5–54
searching for text with grep, ProgSupTools 1–9
security, Security 1–1, TechOver 9–1
administering accounts, Security 9–1
administering ACLs, Security 11–1
administering devices, Security 8–1
and DHCP, NetAdmin 5–19
audit subsystem, Security 10–1
authentication database integrity, Security 12–1
C2 configuration, Security F–1
CDE, Security 4–1
connecting to other systems, Security 3–1
considerations, CommandShellGde 5–21
DOP privileges, Security H–1
group, CommandShellGde 5–2
logging in, Security 2–1
policy, SystemAdmin 3–24
programming concerns with ACLs, Security 21–1

programming concerns with discretionary access control, Security 21–1
programming with the authentication databases, Security 17–1
security integration architecture (SIA), Security 13–1
setting passwords, Security 2–3
setup, Security 7–1
system administration, Security 6–15
troubleshooting, Security 14–1
user, CommandShellGde 5–2
using ACLs, Security 5–1

security in a cluster, Security G–1

select system call
using on the server side, OncRpcProgram 3–16

semaphore
realtime, Realtime 9–1

sendmail utility, NetAdmin 13–38

Serial Line Internet Protocol, See SLIP

server
NFS daemons, NetAdmin 10–4
programming of, OncRpcProgram 2–21
versions of, OncRpcProgram 3–25

server process, OncRpcProgram 1–1

server/client interaction, NetProgGde 4–8

service types in DLPI, NetProgGde 2–4

service, quality of, See QoS

session
ending, CDECompanion 2–9
pausing, CDECompanion 2–8
restoring settings, CDECompanion 8–9
specifying a language, CDECompanion 8–8

Session Manager
customizing in CDE, CDECompanion 8–1

setld utility, InstallGde 9–1
building a new kernel after using, InstallGde 9–13
removing software, InstallGde 9–6
removing software from a cluster, InstallGde 9–6
syntax of, InstallGde 9–4
testing subsets with, ProdKitGde 3–48

setting a locale, CommandShellGde C–6

setup utilities, TechOver 2–8

shared library, ProgGde 4–1, TechOver 6–5
and TLI, NetProgGde 3–6
and XTI, NetProgGde 3–6
loading at run time, ProgGde 4–15
profiling, ProgGde 8–5, 8–26
quickstart, ProgGde 4–9

shared memory
realtime, Realtime 3–1
testing with shmx, SystemAdmin 11–27

sharing software on a local area network, SharingSW 1–1

shell, CommandShellGde 8–1
default shell, CommandShellGde 7–1

shell script, CommandShellGde 7–25
compatibility with System V, CommandShellGde 9–4
internationalizing, InternatProg 3–23

shmx exerciser, SystemAdmin 11–27

shutdown, SystemAdmin 2–1

shutdown command, SystemAdmin 2–23

SIA (security integration architecture), Security 13–1

signal
process groups and IDs, NetProgGde 4–55

signaling module
MMI, AsynchronousTM 7–7
registering with CMM, AsynchronousTM 4–2

simple lock
asserting exclusive access on resource, KernelModules 7–4
declaring data structure, KernelModules 7–1
initializing, KernelModules 7–2
releasing previously asserted, KernelModules 7–6
terminating, KernelModules 7–12
trying to obtain, KernelModules 7–9
using spl routines, KernelModules 7–15

simple lock routine, KernelModules 7–1

Simple Mail Transfer Protocol, See SMTP

Simple Network Management Protocol, See SNMP

sin routine, CPML B–16, CPML–57

sincos routine, CPML B–17, CPML–58

sincosd routine, CPML B–17, CPML–58

sind routine, CPML B–17, CPML–57

single-user boot, SystemAdmin 2–7

sinh routine, CPML B–17, CPML–59

sinhcosh routine, CPML B–18, CPML–60

size (object file tool), ProgGde 2–25

slhosts file, NetAdmin 6–7

SLIP, NetAdmin 6–1
See also connection, PPP
and gateways, NetAdmin 6–8
configuring dial-in system, NetAdmin 6–8
configuring dial-out system, NetAdmin 6–9
modem guidelines, NetAdmin 6–3
troubleshooting, NetAdmin 15–59

SMARTengine/Alpha 21264 PCI/ISA single-board computer, SysConfigSup 1–1

SMP, SystemAdmin 2–20, TechOver 5–3
rebooting failed processor, SystemAdmin 2–20
unattended reboots, SystemAdmin 2–20

SMP environment, KernelModules 6–1
locking, KernelModules 5–28, 6–4
making kernel module safe using complex locks, KernelModules 8–1

SMP system
debugging on, KernelDebug 2–10
determining on which CPU a panic occurred, KernelDebug 4–9

SMTP, TechOver 3–9

SNMP, NetAdmin 14–1, TechOver 3–9
See also eSNMP
Host Resources MIB, NetAdmin G–1
supported versions, NetProgGde 6–4

SNMP agent, TechOver 3–28

sockaddr structure, NetProgGde 9–11

sockaddr_dl data structure, NetProgGde E–6

sockaddr_dl structure
and the 802.2 substructure, NetProgGde E–10

and the Ethernet substructure, NetProgGde E–7

sockaddr_storage structure, NetProgGde 9–11

socket interface
supported types, NetProgGde 4–1

sockets
advanced topics, NetProgGde 4–35
and handling out-of-band data, NetProgGde 4–38
application programming interface, NetProgGde 4–6
binding in DLI, NetProgGde E–17
binding names to, NetProgGde 4–22
BSD, NetProgGde 4–31
calculating buffer size in DLI, NetProgGde E–20
closing, NetProgGde 4–30
coexistence with STREAMS, NetProgGde 8–1
common errors, NetProgGde 4–34
communication properties, NetProgGde 4–3
comparison with XTI, NetProgGde 3–36
creating, NetProgGde 4–20
creating in DLI, NetProgGde E–15
deactivating in DLI, NetProgGde E–21
establishing client connections, NetProgGde 4–23
establishing new server connections, NetProgGde 4–24
filling the sockaddr_dl structure, NetProgGde E–17
getting socket options, NetProgGde 4–26
header files, NetProgGde 4–16
I/O multiplexing, NetProgGde 4–52
increasing buffer size limit, NetProgGde C–2
library calls, NetProgGde 4–10
modes of communication, NetProgGde 4–7
process groups and IDs, NetProgGde 4–55
programming TCP socket buffer sizes, NetProgGde C–1
rewriting applications for XTI, NetProgGde 3–36
selecting protocols, NetProgGde 4–36
setting DLI options, NetProgGde E–16
setting socket options, NetProgGde 4–25
shutting down, NetProgGde 4–30
system calls, NetProgGde 4–9
TCP-specific programming information, NetProgGde C–1
transferring data, NetProgGde 4–26

sockets client
connection-oriented program, NetProgGde B–6
connectionless program, NetProgGde B–22

sockets framework, NetProgGde 1–3, 4–1
components, NetProgGde 4–2
interaction with STREAMS, NetProgGde 1–7
relationship to XTI, TechOver 4–1

sockets I/O
interrupt driven, NetProgGde 4–55

sockets protocol stack
bridging to STREAMS driver, NetProgGde 8–2

sockets server
connection-oriented program, NetProgGde B–2
connectionless program, NetProgGde B–18

software
base operating system subsets, InstallGde C–1
installing, InstallGde 6–20
installing after an installation, InstallGde 9–1

listing files in a subset, InstallGde 9–5
listing installed, InstallGde 9–5
managing with setld utility, InstallGde 9–1
managing with SysMan Menu, InstallGde 9–1
removing after an installation, InstallGde 9–6
removing from a cluster, InstallGde 9–6
worldwide language support, InstallGde C–20

Software Product Description, See SPD

software subset
LSM, StorageManager 3–3

sort (asort) utility, TechOver 10–7

sorting file contents, CommandShellGde 3–25

Source Code Control System, See SCCS

source files
controlling access to, ProgGde 1–5

source line and instruction profiling, ProgGde 8–11

source routing
enabling, NetProgGde D–1

SPD, DocOverview 5–2

specifying default run shell, CommandShellGde 7–27

sqrt routine, CPML B–18, CPML–61

srconfig command, NetAdmin 2–32

stack limit, CallingStandard 6–1

stack of user program
examining in crash dump, KernelDebug 2–8

stack organization, AsmLangGde 6–7

standard error, CommandShellGde 6–1

standard input, CommandShellGde 6–1

standard library, ANSI C, CLangRef 9–1

standard output, CommandShellGde 6–1

standards, See also ANSI standards, POSIX standards, X/Open standards
and XTI, NetProgGde 3–1
programming considerations, ProgGde 1–2

starting the ed editor, CommandShellGde B–2

startppp command, NetAdmin 6–26

startslip command, NetAdmin 6–5

startup, SystemAdmin 2–6

Startup Documentation Kit, DocOverview 1–8

state
comparing XTI and sockets, NetProgGde 3–39
managing in XTI, NetProgGde 3–22

statement
assembly language, AsmLangGde 2–5

static route, NetAdmin 2–10, 2–19

status enquiry
reporting to CMM, AsynchronousTM 4–4

stdump (object file tool), ProgGde 2–27

stopping a command, CommandShellGde 1–6

Storage Administrator
managing disk groups, StorageManager A–14
managing disks, StorageManager A–6

managing subdisks, StorageManager A–21
managing volumes, StorageManager A–25

storage class, CLangRef 2–13

strcmp routine, KernelModules 5–2

strcpy routine, KernelModules 5–4

STREAMS
application programming interface, NetProgGde 5–6
coexistence with sockets, NetProgGde 8–1
components, NetProgGde 5–2
configuring drivers, NetProgGde 5–20
configuring modules, NetProgGde 5–20
device special files, NetProgGde 5–25
driver and module processing routines, NetProgGde 5–15
error logging, NetProgGde 5–26
event logging, NetProgGde 5–26
functions, NetProgGde 5–7
header files, NetProgGde 5–6
kernel-level functions, NetProgGde 5–12
message data structures, NetProgGde 5–14
messages, NetProgGde 5–5
module data structures, NetProgGde 5–13
synchronization mechanism, NetProgGde 5–19

STREAMS driver, NetProgGde 8–3
bridging to sockets protocol stack, NetProgGde 8–2

STREAMS framework, NetProgGde 1–3, 5–1, TechOver 3–24
interaction with sockets, NetProgGde 1–7

STREAMS protocol stack
bridging to BSD driver, NetProgGde 8–9

string literal, CLangRef 1–12

string routine, KernelModules 5–1

strlen routine, KernelModules 5–6

strncmp routine, KernelModules 5–3

strncpy routine, KernelModules 5–5

strong symbol, ProgGde 2–27

structured exception handling, ProgGde 11–5

Style Manager, CDECompanion 4–1
accessing, CDECompanion 3–1
customizing environment, CDECompanion 4–6

subagent
implementing, NetProgGde 6–12

subdirectory, CommandShellGde 2–7

subnet mask, NetAdmin 2–5

subset control program, ProdKitGde 3–9

substitution, global
in vi editor, CommandShellGde A–19

subsystem
configuring, SystemAdmin 4–1
traffic control, NetProgGde 7–2

superuser, CommandShellGde 5–17

superuser authority
tasks, CommandShellGde 5–18

Supplementary Documentation, DocOverview 5–1

svc.conf file, NetAdmin 9–19, TechOver 3–32

svcsetup command, NetAdmin 8–30

swap space
displaying with kdbx, KernelDebug 2–31
estimating, SystemAdmin 3–43

swap space allocation
deferred mode, SystemAdmin 3–45
immediate mode, SystemAdmin 3–45

swap space planning, InstallGdeAdvTop 4–1

swapping, SystemTune 6–13

symbol table
ANSI name space cleanup, ProgGde 2–27

symmetric multiprocessing, See SMP

synchronization
hardware issues related to, KernelModules 6–1

synchronization mechanism
in STREAMS, NetProgGde 5–19

synchronized I/O
realtime, Realtime 8–2

synchronous writes
speeding up with Prestoserve, Prestoserve 1–1

sysconfig command, SystemAdmin 4–7, SystemTune 3–10

sysconfigdb command, SystemAdmin 4–15

syslogd daemon, SystemAdmin 12–2

SysMan, SystemAdmin 1–1, 1–11
utilities, SystemAdmin A–6

SysMan applications, CDECompanion 5–9
accessing, CDECompanion 3–1

SysMan Menu, SystemAdmin 1–18, TechOver 2–14
installing software using, InstallGde 9–1

SysMan Station, SystemAdmin 1–1, 1–23
using, SystemAdmin 1–25
views, SystemAdmin 1–25

system
crash dump information created during reboot, SystemAdmin 14–3
customizing environment, SystemAdmin 3–1
displaying information about with kdbx, KernelDebug 2–30
initialization, SystemAdmin 2–18
initialization files, SystemAdmin 3–2
monitoring, SystemAdmin 11–1, 11–10
monitoring utilities, SystemAdmin 11–4
requesting connection to remote, AsynchronousTM 5–5
security, SystemAdmin 3–24
startup files, SystemAdmin 3–2
testing, SystemAdmin 11–1

system administration
I18N Configuration tool, TechOver 10–9
internationalization and, InternatProg 6–2
methods, SystemAdmin 1–1
security considerations, Security 6–15
SysMan, SystemAdmin 1–1
tools, SystemAdmin 1–1
tools and utilities, SystemAdmin A–2

System and Network Management Documentation Kit, DocOverview 1–9

system call
and DLI, NetProgGde E–15
sockets, NetProgGde 4–9

system clock
setting, SystemAdmin 2–21

System Communication Architecture (SCA), SystemAdmin C–1

system configuration
after full installation, InstallGde 7–1

dynamic, SystemAdmin 4–7, TechOver 2–26
restoring with config.cdf file, InstallGdeAdvTop 7–1
static, SystemAdmin 4–19

system crash
process of, KernelDebug 1–5
reasons for, KernelDebug 1–5
using crashdc command to collect data from, KernelDebug 2–44
using dbx to find the cause of, KernelDebug 2–2
using kdbx to find the cause of, KernelDebug 2–12

system event
reporting, SystemAdmin 12–1

system exerciser, SystemAdmin 11–23

system memory, SystemAdmin 11–26

system partition, SystemAdmin D–3

system setup
after full installation, InstallGde 7–1

System Setup utility, InstallGde 7–1

system shutdown, SystemAdmin 2–1

system startup, SystemAdmin 2–6

system time
working with, KernelModules 5–23

System V habitat, CommandShellGde 9–1
accessing, CommandShellGde 9–2
command summary, CommandShellGde 9–4
location of, CommandShellGde 9–3
modifying .cshrc file for, CommandShellGde 9–2
modifying .login file for, CommandShellGde 9–2
modifying .profile file for, CommandShellGde 9–2
setting PATH for, CommandShellGde 9–2

System V IPC, ProgGde 1–7

T

tan routine, CPML B–18, CPML–62

tand routine, CPML B–18, CPML–62

tanh routine, CPML B–19, CPML–63

tape
backup, SystemAdmin 9–1
bootable, SystemAdmin 9–5

tapex exerciser, SystemAdmin 11–34

tar command, SystemAdmin 9–5

taso (truncated address support option), ProgGde A–2

TCP, TechOver 3–2, 3–8, 3–12
and RPC, OncRpcProgram 3–28
programming information, NetProgGde C–1
throughput, NetProgGde C–1
window size, NetProgGde C–1

tcpdump command, NetAdmin 16–7

TELNET, TechOver 3–8
using, CommandShellGde 13–3

terminal communications system
testing with cmx, SystemAdmin 11–41

terminal driver subsystem, TechOver 10–6

terminal emulator, CDECompanion 9–2

terminal interface
enhancements for Asian languages, InternatProg 6–8

termination handler
how to code, ProgGde 11–12

TERMINFO environment variable, SystemAdmin 3–8

testing kernel programs, KernelDebug 2–37

testing subsets with the setld utility, ProdKitGde 3–48

testing the system, SystemAdmin 11–1

text editor, CommandShellGde 2–1
accessing, CDECompanion 3–1

TFTP, TechOver 3–9

Thai,
See Asian languages

Third Degree, ProgGde 7–1

Thread Independent Services, ProgGde 12–6

thread operation, POSIXThreads 2–1

thread-safe code
how to write, ProgGde 12–5

thread-safe library, POSIXThreads 4–1

thread-safe routine
characteristics, ProgGde 12–3

threads, ProgGde 12–1
See also POSIX Threads Library
profiling multithreaded applications, ProgGde 8–29
programming with, POSIXThreads 3–1
visual, TechOver 6–8

tic command, SystemAdmin 3–8

time
setting, SystemAdmin 2–21

time value
formatting rules in a locale, InternatProg 7–22

time zone, SystemAdmin 3–20
setting during full installation, InstallGde 6–14
SVID, SystemAdmin 3–20

timeout change, OncRpcProgram 2–20

timeout routine, KernelModules 5–17

timer
realtime, Realtime 6–1

tip command, NetAdmin 6–19, 6–28

tis routine, POSIXThreads tis–1

tiuser.h file, NetProgGde 3–6

TLI
and XTI, NetProgGde 3–1
compatibility with XTI, NetProgGde 3–35
contrast with XTI, NetProgGde 3–35
library and header files, NetProgGde 3–6

Token Ring
configuring, NetAdmin 2–13

Token Ring driver
and canonical addresses, NetProgGde D–2
enabling source routing, NetProgGde D–1

traceroute command, NetAdmin 16–4

traffic control, NetAdmin 2–36

traffic control subsystem, NetProgGde 7–2
tasks, NetProgGde 7–5

translation
of message text, InternatProg 3–16

Transmission Control Protocol,
See TCP

Transport Layer Interface,
See TLI

Transport-Level Protocols, TechOver 3–11

Trash Can
accessing, CDECompanion 3–1

Trivial File Transfer Protocol,
See TFTP

troubleshooting
ATM, NetAdmin 15–23
DHCP, NetAdmin 15–34
DMS, SharingSW 13–1
DNS client, NetAdmin 15–39
DNS server, NetAdmin 15–37
IMAP, NetAdmin 15–73
IPv6, NetAdmin 15–8
LAT, NetAdmin 15–64
LSM, StorageManager 6–1
mail, NetAdmin 15–71, 15–73, F–1
network, NetAdmin 15–1, 16–1
NFS client, NetAdmin 15–50, D–1
NFS server, NetAdmin 15–47, D–1
NIS client, NetAdmin 15–44
NIS server, NetAdmin 15–40
NTP, NetAdmin 15–56
POP, NetAdmin 15–73
PPP, NetAdmin 15–62
printer, SystemAdmin 8–43
RIS, SharingSW 8–1
security, Security 14–1
SLIP, NetAdmin 15–59
UUCP, NetAdmin 15–53, E–1

Tru64 UNIX Documentation Kit, DocOverview 1–8

trunc routine, CPML B–19, CPML–64

truncated address support option, See taso

try...except statement
use in exception handler, ProgGde 11–5

try...finally statement
use in termination handler, ProgGde 11–13

tty subsystem, TechOver 10–6

tunefs command, SystemAdmin 6–49

tuning
class scheduler, SystemAdmin 3–24
Internet servers, SystemTune 4–3
large-memory systems, SystemTune 4–3
memory, SystemTune 6–1
namei cache, SystemTune 9–1
networks, SystemTune 10–6
NFS, SystemTune 9–40
realtime performance, Realtime 11–1
UBC, SystemTune 9–1
UFS, SystemTune 9–32

tunnel
creating, NetAdmin 3–35

type conversion, CLangRef 6–27

typedef
using with rpcgen, OncRpcProgram 2–23

U

UBC, TechOver 5–5
least recently used page list, TechOver 5–6
tuning, SystemTune 9–1

UBR, AsynchronousTM 2–13

UCS-4 encoding format, TechOver 10–2
See also Unicode

UDP, TechOver 3–2, 3–8, 3–11

uerf command
using with system exercisers, SystemAdmin 11–25

UFS, SystemAdmin 6–1
creating a file system, SystemAdmin 6–1
displaying, SystemTune 9–30
improving performance, SystemTune 9–27
setting file system quotas, SystemAdmin 6–41
tuning, SystemTune 9–32

UID, SystemAdmin 7–10

UIL compiler, TechOver 10–10

uiomove routine, KernelModules 5–13

umount command, SystemAdmin 6–20

Unicode, InternatProg 1–6, 2–5, TechOver 10–8

Unified Buffer Cache,
See UBC

uninstalling LSM,
StorageManager 6–25

Universal Character Set,
InternatProg 1–6

UNIX File System,
See UFS

UNIX shell, InstallGdeAdvTop 3–1

UNIX-to-UNIX Copy Program,
See UUCP

unlimited license
registering after installation or upgrade, LicenseManage 2–2

unordered routine, CPML B–19, CPML–65

unspecified bit rate,
See UBR

untimeout routine, KernelModules 5–17

updadmin utility, InstallGde 3–24

update installation, InstallGde 2–1
defined, InstallGde 1–2
layered products, InstallGde 3–12
procedures, InstallGde 3–1
update paths, InstallGde 2–3
user-supplied files, InstallGdeAdvTop 5–1

update installation cleanup utility, InstallGde 3–24

update_postload file,
InstallGdeAdvTop 5–1

update_preinstall file,
InstallGdeAdvTop 5–1

uprofile,
See profiling a program

User Datagram Protocol,
See UDP

user-defined character,
InternatProg 6–17

user environment,
CommandShellGde 7–12

user information
preserving data on during installation, InstallGde 6–40

User Interface Language compiler,
See UIL compiler

user mask, CommandShellGde 5–13

user product kit, ProdKitGde 4–1

user-supplied file
customizing an installation, InstallGdeAdvTop 5–1

using commands,
CommandShellGde 1–4

using mailx utility,
CommandShellGde F–1

using variables,
CommandShellGde 7–18

UTF-8 encoding format, TechOver 10–2
See also Unicode

utilupdate utility, SharingSW C–1

uucico command, NetAdmin 11–15

UUCP, NetAdmin 11–1, TechOver 3–31
cleaning spooling directories, NetAdmin 11–18
cleaning system log files, NetAdmin 11–22
configuring, NetAdmin 11–12
error messages, NetAdmin E–1
initiating calls to remote hosts, NetAdmin 11–24
limiting remote executions, NetAdmin 11–23

monitoring the transfer queue, NetAdmin 11–16
polling remote hosts, NetAdmin 11–25
required hardware, NetAdmin 11–2
scheduling jobs, NetAdmin 11–23
transmitting files, CommandShellGde 14–20
troubleshooting, NetAdmin 15–53
viewing log files, NetAdmin 11–21

uucpsetup command, NetAdmin 11–12

uudemon.admin script, NetAdmin 11–17

uudemon.cleanu script, NetAdmin 11–20

uudemon.hour script, NetAdmin 11–23, 11–24

uudemon.poll script, NetAdmin 11–25

uulog command, CommandShellGde 14–28, NetAdmin 11–22

uumonitor command, CommandShellGde 14–29

uusched command, NetAdmin 11–23

uustat command, CommandShellGde 14–25, NetAdmin 11–17

uuto command
using with uupick, CommandShellGde 14–23

uutry command, NetAdmin 16–7

uux command
run from remote host (UUCP), CommandShellGde 14–16

V

variable
displaying with dbx debugger, KernelDebug 2–6

VAX C extension, CLangRef E–1

vb interface, See vb network

vb network
configuration, SysConfigSup 3–1
driver, SysConfigSup 3–1
Ethernet interface, SysConfigSup 3–1

VC
activating, AsynchronousTM 4–2
controlling aging of, AsynchronousTM 5–6
creating permanent, AsynchronousTM 6–9
creating signaling, AsynchronousTM 6–10
modifying parameters, AsynchronousTM 5–6
modifying QoS parameters, AsynchronousTM 5–6
requesting status for, AsynchronousTM 4–5
restarting, AsynchronousTM 4–3
transmitting data on, AsynchronousTM 5–6

VC status
reporting to CMM, AsynchronousTM 4–4

versioning, See shared library

vi editor, CommandShellGde 2–2, A–1
customizing your environment, CommandShellGde A–21
editing text, CommandShellGde A–12
ex line editor commands, CommandShellGde A–18

global substitution, CommandShellGde A–19
moving within a file, CommandShellGde A–6
opening text files, CommandShellGde A–4
quit (q) command, CommandShellGde A–4, A–15
saving part of a file, CommandShellGde A–20
saving your customizations, CommandShellGde A–23
undo (u) command, CommandShellGde A–14
using advanced techniques, CommandShellGde A–15

viewing documents, CDECompanion 5–7

virtual address space, SystemTune 6–5

virtual circuit, See VC

virtual memory subsystem, See VM subsystem

virus, CommandShellGde 5–21

visibility, CLangRef 2–6

Visual Administrator, StorageManager D–1
analysis, StorageManager E–42
disk group management, StorageManager E–36
disk management, StorageManager E–27
plex management, StorageManager E–16
projection analysis, StorageManager E–40
subdisk management, StorageManager E–21
UFS management, StorageManager E–45
volume management, StorageManager E–1

Visual Threads, ProgGde 8–29

VM subsystem, TechOver 5–5
paging operation, TechOver 5–7
swapping operation, TechOver 5–8

vmcore.n file, SystemAdmin 14–3

VMEbus
configuring, SysConfigSup 2–2, 2–28
interrupt handling with rt_post_callout, SysConfigSup 2–27, 2–66
master block transfers, SysConfigSup 2–24, 2–63
networking over, SysConfigSup 3–1
operating system support, SysConfigSup 2–1
slave block transfers, SysConfigSup 2–23, 2–63

VMEbus backplane network, See vb network

vmunix.n file, SystemAdmin 14–3

voldiskadm menu
managing disk groups, StorageManager C–12
managing disks, StorageManager C–2
managing volumes, StorageManager C–14

volume
creating, StorageManager 4–5
for secondary swap space, StorageManager 4–14
recovering, StorageManager 6–8
recovering a RAID 5 plex, StorageManager 6–14

W

wakeup routine, KernelModules 5–16

wchar_t data type, TechOver 10–2

weak symbol, ProgGde 2–27

Web-Based Enterprise Services, See WEBES

WEBES, SystemAdmin 13–51

what command, ProgSupTools 6–21

who command, CommandShellGde 10–1

whois command, NetAdmin 8–32

wide character and wide-character string, InternatProg 1–5

wildcard character
removing multiple directories using, CommandShellGde 4–11

window
using, CDECompanion 2–3

windowing environment, See CDE

Windows 2000 Single Sign-On, SystemAdmin 7–41

Windows NT for Alpha
migrating to Tru64 UNIX, InstallGde 5–4

wired page list, TechOver 5–6

WLS
DMS client setup for, SharingSW 11–13
DMS server setup for, SharingSW 11–12
installing, InstallGdeAdvTop 2–1
installing during full installation, InstallGde 4–2
software subsets, InstallGde C–20

working on a remote host, CommandShellGde 13–1

workspace
accessing, CDECompanion 3–1

World Wide Web, See documentation on the World Wide Web

worldwide language support, See WLS

Worldwide Portability Interfaces (WPI), InternatProg A–1

WWW, See documentation on the World Wide Web

X

X client, CDECompanion 6–1, TechOver 8–8

X client library, TechOver 8–3

X server, CDECompanion 6–1, TechOver 8–3
font-cache tuning, InternatProg 6–41

X server extensions, TechOver 8–3, XWinSysEnv 3–1

X window
configuration, XWinSysEnv 1–1
managing the environment, XWinSysEnv 1–1

X Window System, CDECompanion 6–1
documentation for developers, DocOverview 4–10

X/Open standards
and internationalization, InternatProg 1–1
application development considerations, ProgGde 1–2

X/Open Transport Interface, See XTI

X11 shared libraries, TechOver 6–5

X11R6 software
internationalization features in, InternatProg 5–1

X11R6.3
internationalization, InternatProg 5–7

xdm utility, XWinSysEnv 1–6

XDM-AUTHORIZATION-1
Display Manager, TechOver 8–7

XDR library, OncRpcProgram A–5

XDR library primitive, OncRpcProgram A–7, A–18

XDR routine, OncRpcProgram 2–9, A–1
enumerations, OncRpcProgram 2–23
generating with rpcgen, OncRpcProgram 2–9

XDR stream, OncRpcProgram A–19

XDR structure, OncRpcProgram 2–25

XDR union, OncRpcProgram 2–26

xhost program
using to enable access to display, CDECompanion 5–2

xjoin command, NetAdmin 5–12

xmodmap keymap format
Display Manager, TechOver 8–6

xntpd daemon, NetAdmin 12–1

xntpdc command, NetAdmin 12–9

Xsession, CDECompanion 6–2

XTI, NetProgGde 3–1, ProgGde 1–7, TechOver 3–22
and network programming environment, NetProgGde 3–2
and standards, NetProgGde 3–1
and TLI, NetProgGde 3–1
application programming interface, NetProgGde 3–4
code migration XNS4.0 to XNS5.0, NetProgGde 3–41
code migration XPG3 to XNS4.0, NetProgGde 3–41
configuring xtiso, NetProgGde 3–57
contrast with TLI, NetProgGde 3–35
differences between XNS4.0 and XNS5.0, NetProgGde 3–39
differences between XPG3 and XNS4.0, NetProgGde 3–39
execution modes, NetProgGde 3–4
handling errors, NetProgGde 3–56
interoperability of XNS4.0 and XNS5.0, NetProgGde 3–43
interoperability of XPG3 and XNS4.0, NetProgGde 3–43
library and header files, NetProgGde 3–6
phase-independent functions, NetProgGde 3–32
porting applications to, NetProgGde 3–33
rewriting socket applications for, NetProgGde 3–36
sequencing functions, NetProgGde 3–20
service modes, NetProgGde 3–4
synchronization of multiple processes, NetProgGde 3–19
writing connection-oriented applications, NetProgGde 3–22

XTI client
connection-oriented program, NetProgGde B–14
connectionless program, NetProgGde B–29

XTI event, NetProgGde 3–10
map of, NetProgGde 3–16
tracking, NetProgGde 3–14

XTI functions, NetProgGde 3–7
map of, NetProgGde 3–16

XTI options, NetProgGde 3–43

XTI server
connection-oriented program, NetProgGde B–9
connectionless program, NetProgGde B–25

XTI states, NetProgGde 3–13
management by transport providers, NetProgGde 3–22
map of, NetProgGde 3–16

xti.h header file, NetProgGde 3–6
and t_errno variable, NetProgGde 3–56

xtiso option

configuring, NetProgGde 3–57

Y

y0 routine, CPML B–19, CPML–12
y1 routine, CPML B–20, CPML–12
yacc program, ProgSupTools 4–16
year
setting, SystemAdmin 2–21
Yellow Pages,
See NIS
yn routine, CPML B–20, CPML–12
ypcat command, NetAdmin 9–31
ypmatch command, NetAdmin 9–31
yppasswd command,
CommandShellGde 1–6,
NetAdmin 9–31
ypwhich command, NetAdmin 9–31

How to Order Tru64 UNIX Documentation

You can order documentation for the Tru64 UNIX operating system and related products at the following Web site:

http://www.businesslink.digital.com/

If you need help deciding which documentation best meets your needs, see the Tru64 UNIX Documentation Overview or call **800-344-4825** in the United States and Canada. In Puerto Rico, call **787-781-0505**. In other countries, contact your local Compaq subsidiary.

If you have access to Compaq's intranet, you can place an order at the following Web site:

http://asmorder.nqo.dec.com/

The following table provides the order numbers for the Tru64 UNIX operating system documentation kits. For additional information about ordering this and related documentation, see the Documentation Overview or contact Compaq.

Name	Order Number
Tru64 UNIX Documentation CD-ROM	QA-6ADAA-G8
Tru64 UNIX Documentation Kit	QA-6ADAA-GZ
End User Documentation Kit	QA-6ADAB-GZ
Startup Documentation Kit	QA-6ADAC-GZ
General User Documentation Kit	QA-6ADAD-GZ
System and Network Management Documentation Kit	QA-6ADAE-GZ
Developer's Documentation Kit	QA-6ADAG-GZ
Reference Pages Documentation Kit	QA-6ADAF-GZ

Reader's Comments

Tru64 UNIX
Master Index
AA-RH94B-TE

Compaq welcomes your comments and suggestions on this manual. Your input will help us to write documentation that meets your needs. Please send your suggestions using one of the following methods:

- This postage-paid form
- Internet electronic mail: `readers_comment@zk3.dec.com`
- Fax: (603) 884-0120, Attn: UBPG Publications, ZKO3-3/Y32

If you are not using this form, please be sure you include the name of the document, the page number, and the product name and version.

Please rate this manual:

	Excellent	Good	Fair	Poor
Accuracy (software works as manual says)	☐	☐	☐	☐
Clarity (easy to understand)	☐	☐	☐	☐
Organization (structure of subject matter)	☐	☐	☐	☐
Figures (useful)	☐	☐	☐	☐
Examples (useful)	☐	☐	☐	☐
Index (ability to find topic)	☐	☐	☐	☐
Usability (ability to access information quickly)	☐	☐	☐	☐

Please list errors you have found in this manual:

Page	Description
_____	_____
_____	_____
_____	_____
_____	_____

Additional comments or suggestions to improve this manual:

_____
_____
_____
_____

What version of the software described by this manual are you using? _____

Name, title, department _____
Mailing address _____
Electronic mail _____
Telephone _____
Date _____

--------- Do Not Cut or Tear - Fold Here and Tape ----------

COMPAQ

NO POSTAGE
NECESSARY IF
MAILED IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 33 MAYNARD MA

POSTAGE WILL BE PAID BY ADDRESSEE

COMPAQ COMPUTER CORPORATION
UBPG PUBLICATIONS MANAGER
ZKO3-3/Y32
110 SPIT BROOK RD
NASHUA NH 03062-2698

--------- Do Not Cut or Tear - Fold Here ----------

Cut on This Line